
antibodies .- online.com





FGA Protein (AA 37-789) (His tag)



Image



Overview

Quantity:	1 mg
Target:	FGA
Protein Characteristics:	AA 37-789
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This FGA protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB), ELISA, Crystallization (Crys)

Product Details

Sequence:

GPRVVERHQS QCKDSDWPFC SDDDWNHKCP SGCRMKGLID EANQDFTNRI NKLKNSLFDF
QRNNKDSNSL TRNIMEYLRG DFANANNFDN TYGQVSEDLR RRIEILRRKV IEKAQQIQAL
QSNVRAQLID MKRLEVDIDI KIRSCKGSCS RAVNREINLQ DYEGHQKQLQ QVIAKELLPT
KDRQYLPALK MSPVPDLVPG SFKSQLQEAP PEWKALTEMR QMRMELERPG KDGGSRGDSP
GDSRGDSRGD FATRGPGSKA ENPTNPGPGG SGYWRPGNSG SGSDGNRNPG TTGSDGTGDW
GTGSPRPGSD SGNFRPANPN WGVFSEFGDS SSPATRKEYH TGKAVTSKGD KELLIGKEKV
TSSGTSTTHR SCSKTITKTV TGPDGRREVV KEVITSDDGS DCGDATELDI SHSFSGSLDE
LSERHPDLSG FFDNHFGLIS PNFKEFGSKT HSDSDILTNI EDPSSHVPEF SSSSKTSTVK
KQVTKTYKMA DEAGSEAHRE GETRNTKRGR ARARPTRDCD DVLQTQTSGA QNGIFSIKPP
GSSKVFSVYC DQETSLGGWL LIQQRMDGSL NFNRTWQDYK RGFGSLNDKG EGEFWLGNDY
LHLLTLRGSV LRVELEDWAG KEAYAEYHFR VGSEAEGYAL QVSSYRGTAG DALVQGSVEE
GTEYTSHSNM QFSTFDRDAD QWEENCAEVY GGGWWYNSCQ AANLNGIYYP GGTYDPRNNS

PYEIENGVVW VPFRGADYSL RAVRMKIRPL VGQ

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Mouse Fga Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Protein is endotoxin free.

Target Details	
Target:	FGA
Alternative Name:	Fga (FGA Products)
Background:	Cleaved by the protease thrombin to yield monomers which, together with fibrinogen beta
	(FGB) and fibrinogen gamma (FGG), polymerize to form an insoluble fibrin matrix. Fibrin has a
	major function in hemostasis as one of the primary components of blood clots
	(PubMed:7649481). In addition, functions during the early stages of wound repair to stabilize
	the lesion and guide cell migration during re-epithelialization (PubMed:11389004). Was
	originally thought to be essential for platelet aggregation, based on in vitro studies using
	anticoagulated blood (PubMed:7649481). However, subsequent studies have shown that it is
	not absolutely required for thrombus formation in vivo (PubMed:10930441). Enhances
	expression of SELP in activated platelets via an ITGB3-dependent pathway
	(PubMed:19332769). Maternal fibrinogen is essential for successful pregnancy
	(PubMed:7649481). Fibrin deposition is also associated with infection, where it protects agains
	IFNG-mediated hemorrhage (PubMed:12629066). May also facilitate the immune response via
	both innate and T-cell mediated pathways (PubMed:23487423).
	{ECO:0000250 UniProtKB:P02671, ECO:0000269 PubMed:10930441,
	ECO:0000269 PubMed:11389004, ECO:0000269 PubMed:12629066,
	ECO:0000269 PubMed:15972474, ECO:0000269 PubMed:19332769,
	ECO:0000269 PubMed:23487423, ECO:0000269 PubMed:7649481}.
Molecular Weight:	84.5 kDa Including tag.
UniProt:	E9PV24
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee
	though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the
	recombinant protein with the default tag will be insoluble our protein lab may suggest a higher

options with you in detail to assure that you receive your protein of interest.

molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible

Application Details

Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Images




Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process