antibodies - online.com





MY01E Protein (AA 1-1107) (Strep Tag)



Go to Product page

Overview

Quantity:	1 mg
Target:	MY01E
Protein Characteristics:	AA 1-1107
Origin:	Mouse
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This MYO1E protein is labelled with Strep Tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA

Product Details

Sequence:

MGSKGAYRYH WQSHNVKHSG VDDMVLLSKI TESSIVENLK KRYMDDYIFT YIGSVLISVN PFKQMPYFGE KEVEMYQGAA QYENPPHIYA LADSMYRNMI IDRENQCVII SGESGAGKTV AAKYIMSYVS RVSGGGPKVQ HVKDIILQSN PLLEAFGNAK TVRNNNSSRF GKYFEIQFSP GGEPDGGKIS NFLLEKSRVV MRNPGERSFH IFYQLIEGAS PEQKQSLGIT SMDYYYYLSL SGSYKVDDID DKRDFQETLH AMNVIGIFSE EQTLVLQIVA GILHLGNISF KEVGNYAAVE SEEFLAFPAY LLGINQDRLK EKLTSRQMDS KWGGKSESIH VTLNVEQACY TRDALAKALH ARVFDFLVDS INKAMEKDHE EYNIGVLDIY GFEIFQKNGF EQFCINFVNE KLQQIFIELT LKAEQEEYVQ EGIRWTPIEY FNNKIVCDLI ESKVNPPGIM SILDDVCATM HAVGEGADQT LLQKLQMQIG SHEHFNSWNQ GFIIHHYAGK VSYDMDGFCE RNRDVLFMDL IELMQSSELP FIKSLFPENL QADKKGRPTT AGSKIKKQAN DLVSTLMKCT PHYIRCIKPN ETKKPKDWEE SRVKHQVEYL GLKENIRVRR AGYAYRRVFQ KFLQRYAILT KATWPVWRGD EKQGVLHLLQ SVNMDSDQFQ LGRSKVFIKA PESLFLLEEM RERKYDGYAR VIQKTWRKFV ARKKYVQMRE

EASDLLLNKK ERRRNSINRN FIGDYIGMEE RPELQQFVGK REKIDFADTV TKYDRRFKGV KRDLLLTPKC LYLIGREKVK QGPDKGVVKE VLKRRIEVER ILSVSLSTMQ DDIFILHEQE YDSLLESVFK TEFLSLLAKR YEEKTQKQLP LKFSNTLELK LKKENWGPWS AGGSRQVQFH QGFGDLAILK PSNKVLQVSI GPGLPKNSRP TRRNTVTSRG YPGGTKNNYP MRAAPAPPGC HQNGVIRNQF VPPPHAFGNQ RSNQKSLYTS MARPPLPRQQ STGSDRLSQT PESLDFLKVP DQGVAGVRRQ TSSRPPPAGG RPKPQPKPKP QVPQCKALYA YDAQDTDELS FNANDIIDII KEDPSGWWTG RLRGKQGLFP NNYVTKI

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- · Made in Germany from design to production by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

- 1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

≥ 80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Endotoxin Level:

Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)

Target Details

Target:	MY01E
Alternative Name:	Myo1e (MYO1E Products)
Background:	Unconventional myosin-le (Unconventional myosin 1E),FUNCTION: Myosins are actin-based motor molecules with ATPase activity. Unconventional myosins serve in intracellular movements. Their highly divergent tails bind to membranous compartments, which are then moved relative to actin filaments. Binds to membranes containing anionic phospholipids via its tail domain (By similarity). Involved in clathrin-mediated endocytosis and intracellular movement of clathrin-coated ve (By similarity)sicles. Required for normal morphology of the glomerular basement membrane, normal development of foot processes by kidney podocytes and normal kidney function. In dendritic cells, may control the movement of class II-containing cytoplasmic vesicles along the actin cytoskeleton by connecting them with the actin network via ARL14EP and ARL14 (By similarity). {ECO:0000250, ECO:0000269 PubMed:19005011}.
Molecular Weight:	126.8 kDa
UniProt:	E9Q634
Pathways:	Platelet-derived growth Factor Receptor Signaling

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
	During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)