
antibodies -online.com





ATP2B1 Protein (AA 173-378) (His tag)



Image



Go to Product page

\sim	
()\/\	rview
\cup	

Quantity:	1 mg
Target:	ATP2B1
Protein Characteristics:	AA 173-378
Origin:	Mouse
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Purification tag / Conjugate:	This ATP2B1 protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), Crystallization (Crys), SDS-PAGE (SDS)
Product Details	
Sequence:	NDWSKEKQFR GLQSRIEQEQ KFTVIRGGQV IQIPVADITV GDIAQVKYGD LLPADGILIQ
	GNDLKIDESS LTGESDHVKK SLDKDPLLLS GTHVMEGSGR MVVTAVGVNS QTGIIFTLLG
	AGGEEEEKKD EKKKEKKNKK QDGAIENRNK AKAQDGAAME MQPLKSEEGG DGDEKDKKKA
	NLPKKEKSVL QGKLTKLAVQ IGKAGL
	Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a
	special request, please contact us.
Characteristics:	 Made in Germany - from design to production - by highly experienced protein experts. Mouse Atp2b1 Protein (raised in E. Coli) purified by multi-step, protein-specific process to ensure crystallization grade. State-of-the-art algorithm used for plasmid design (Gene synthesis).

experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in bacterial culture:

- In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Endotoxin has not been removed. Please contact us if you require endotoxin removal.

Grade:

Crystallography grade

Target Details

Target:	ATP2B1
Alternative Name:	Atp2b1 (ATP2B1 Products)
Background:	This magnesium-dependent enzyme catalyzes the hydrolysis of ATP coupled with the transport
	of calcium. Involved in bone homeostasis. Has a role in osteoclastogenesis where it regulates
	RANKL-induced calcium oscillation, a key step in the differentiation process. Also promotes

Target Details

Expiry Date:

survival of mature osteoclasts, probably by preventing toxic accumulation of intracellular calcium. {ECO:0000255 RuleBase:RU361146, ECO:0000269 PubMed:23266958}.
23.3 kDa Including tag.
G5E829
Ribonucleoside Biosynthetic Process
In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
For Research Use only
Liquid
100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Avoid repeated freeze-thaw cycles.
-80 °C
Store at -80°C.

Unlimited (if stored properly)



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process