antibodies -online.com





THO Complex 4 Protein (THOC4) (AA 2-255) (His tag)



Image



Overview

Characteristics:

Overview	
Quantity:	1 mg
Target:	THO Complex 4 (THOC4)
Protein Characteristics:	AA 2-255
Origin:	Mouse
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Purification tag / Conjugate:	This THO Complex 4 protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), Crystallization (Crys), SDS-PAGE (SDS)
Product Details	
Sequence:	ADKMDMSLDD IIKLNRSQRG GRGGGRGRGR AGSQGGRGGA VQAAARVNRG GGPMRNRPAI
	ARGAAGGGRN RPAPYSRPKQ LPDKWQHDLF DSGFGGGAGV ETGGKLLVSN LDFGVSDADI
	QELFAEFGTL KKAAVHYDRS GRSLGTADVH FERKADALKA MKQYNGVPLD GRPMNIQLVT
	SQIDTQRRPA QSINRGGMTR NRGSGGFGGG GTRRGTRGGS RGRGRGTGRN SKQQLSAEEL
	DAQLDAYNAR MDTS
	Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a
	special request, please contact us.

• State-of-the-art algorithm used for plasmid design (Gene synthesis).

Made in Germany - from design to production - by highly experienced protein experts.
Mouse Alyref Protein (raised in E. Coli) purified by multi-step, protein-specific process to

This protein is a made to order protein and will be made for the first time for your order. Our

ensure crystallization grade.

experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in bacterial culture:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Endotoxin has not been removed. Please contact us if you require endotoxin removal.

Grade:

Crystallography grade

Target Details

Target:	THO Complex 4 (THOC4)
Alternative Name:	Alyref (THOC4 Products)
Background:	Export adapter involved in nuclear export of spliced and unspliced mRNA. Binds mRNA which is
	thought to be transferred to the NXF1-NXT1 heterodimer for export (TAP/NFX1 pathway).

Component of the TREX complex which is thought to couple mRNA transcription, processing and nuclear export, and specifically associates with spliced mRNA and not with unspliced premRNA. TREX is recruited to spliced mRNAs by a transcription-independent mechanism, binds to mRNA upstream of the exon-junction complex (EJC) and is recruited in a splicing- and cap-dependent manner to a region near the 5' end of the mRNA where it functions in mRNA export to the cytoplasm. TREX recruitment occurs via an interaction between ALYREF/THOC4 and the cap-binding protein NCBP1. Required for TREX complex assembly and for linking DDX39B to the cap-binding complex (CBC). In conjunction with THOC5 functions in NXF1-NXT1 mediated nuclear export of HSP70 mRNA, both proteins enhance the RNA binding activity of NXF1 and are required for NXF1 localization to the nuclear rim. Involved in the nuclear export of intronless mRNA, proposed to be recruited to intronless mRNA by ATP-bound DDX39B. Involved in transcription elongation and genome stability., Acts as chaperone and promotes the dimerization of transcription factors containing basic leucine zipper (bZIP) domains and thereby promotes transcriptional activation.

Molecular Weight: 27.8 kDa Including tag.

UniProt: 008583

Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.

Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.

Restrictions: For Research Use only

Handling

Comment:

Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C

Handling

Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Images




Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process