

Datasheet for ABIN3131334 BIRC3 Protein (AA 1-600) (His tag)



[Go to Product page](#)

1 Image

Overview

| | |
|-------------------------------|--|
| Quantity: | 1 mg |
| Target: | BIRC3 |
| Protein Characteristics: | AA 1-600 |
| Origin: | Mouse |
| Source: | Insect Cells |
| Protein Type: | Recombinant |
| Purification tag / Conjugate: | This BIRC3 protein is labelled with His tag. |
| Application: | Western Blotting (WB), ELISA, Crystallization (Crys), SDS-PAGE (SDS) |

Product Details

Sequence: MVQDSAFLAK LMKSADTFEL KYDFSCELYR LSTYSAFPRG VPVSERSLAR AGFYITGAND
KVKCFCCGLM LDNWKQGDSP MEKHRKLYPS CNFVQTLNPA NSLEASPRPS LPSTAMSTMP
LSFASSENTG YFSGSYSSFP SDPVNFRANQ DCPALSTSPY HFAMNTEKAR LLTYETWPLS
FLSPAHLAKA GFYIIGPGDR VACFACDGKL SNWERKDDAM SEHQRHFPSC PFLKDLGQSA
SRYTVSNLSM QTHAARITF SNWPSSALVH SQELASAGFY YTGHSDDVKC FCCDGGRLCW
ESGDDPWVEH AKWFPRCEYL LRIKGQEFVS QVQAGYPHLL EQLLSTSDSP EDENADAAIV
HFGPGESSED VMMSTPVVK AALEMGFSRS LVRQTVQWQI LATGENYRTV SDLVIGLLDA
EDEMREEQME QAAAAEESDD LALIRKNKMV LFQHLTCVTP MLYCLLSARA ITEQECNAVK
QKPHTLQAST LIDTVLAKGN TAATSFRNSL REIDPALYRD IFVQQDIRSL PTDDIAALPM
EEQLRKLQEE RMCKVCMDRE VSIVFIPCGH LVVCKDCAPS LRKCPICRGT IKGTVRTFLS

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Product Details

- Characteristics:
- Made in Germany - from design to production - by highly experienced protein experts.
 - Mouse Birc3 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
 - State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receipt of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

- Purification:
- Two step purification of proteins expressed in baculovirus infected SF9 insect cells:
1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity: >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility: 0.22 µm filtered

Endotoxin Level: Protein is endotoxin free.

Grade: Crystallography grade

Target Details

| | |
|-------------------|--|
| Target: | BIRC3 |
| Alternative Name: | Birc3 (BIRC3 Products) |
| Background: | <p>Multi-functional protein which regulates not only caspases and apoptosis, but also modulates inflammatory signaling and immunity, mitogenic kinase signaling and cell proliferation, as well as cell invasion and metastasis. Acts as an E3 ubiquitin-protein ligase regulating NF-kappa-B signaling and regulates both canonical and non-canonical NF-kappa-B signaling by acting in opposite directions: acts as a positive regulator of the canonical pathway and suppresses constitutive activation of non-canonical NF-kappa-B signaling. The target proteins for its E3 ubiquitin-protein ligase activity include: RIPK1, RIPK2, RIPK3, RIPK4, CASP3, CASP7, CASP8, IKBKE, TRAF1, and BCL10. Acts as an important regulator of innate immune signaling via regulation of Toll-like receptors (TLRs), Nodlike receptors (NLRs) and RIG-I like receptors (RLRs), collectively referred to as pattern recognition receptors (PRRs). Protects cells from spontaneous formation of the ripoptosome, a large multi-protein complex that has the capability to kill cancer cells in a caspase-dependent and caspase-independent manner. Suppresses ripoptosome formation by ubiquitinating RIPK1 and CASP8. {ECO:0000269 PubMed:18621737}.</p> |
| Molecular Weight: | 68.2 kDa Including tag. |
| UniProt: | O08863 |
| Pathways: | Apoptosis , Caspase Cascade in Apoptosis , Activation of Innate immune Response , Toll-Like Receptors Cascades |

Application Details

| | |
|--------------------|---|
| Application Notes: | In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. |
| Comment: | Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. |
| Restrictions: | For Research Use only |

Handling

| | |
|------------------|--|
| Format: | Liquid |
| Buffer: | 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer. |
| Handling Advice: | Avoid repeated freeze-thaw cycles. |
| Storage: | -80 °C |
| Storage Comment: | Store at -80°C. |
| Expiry Date: | Unlimited (if stored properly) |

Images



Image 1. „Crystallography Grade“ protein due to multi-step, protein-specific purification process