

Datasheet for ABIN3131351  
**SLC22A1 Protein (AA 1-556) (rho-1D4 tag)**



[Go to Product page](#)

1 Image

Overview

Quantity:	1 mg
Target:	SLC22A1
Protein Characteristics:	AA 1-556
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This SLC22A1 protein is labelled with rho-1D4 tag.
Application:	Crystallization (Crys), ELISA, SDS-PAGE (SDS), Western Blotting (WB)

Product Details

Sequence: MPTVDDVLEH VGEFGWFQKQ AFLLLCLISA SLAPIYVGIV FLGFTPDHHC RSPGVAELSQ  
RCGWSPAEL NYTVPGLGSA GEASFLSQCM KYEVDWNQST LDCVDPLSSL AANRSHLPLS  
PCEHGWVYDT PGSSIVTEFN LVCGDWVKVD LFQSCVNLGF FLGSLVVGVI ADRFGRKLCL  
LVTTLVTSLS GVLTAAPDY TSMLLFRLQ GMVSKGSWVS GYTLITEFVG SGYRRTAIL  
YQVAFTVGLV GLAGVAYAIP DWRWLQLAVS LPTFLFLLY WFVPESPRWL LSQRRTTQAV  
RIMEQIAQKN RKVPPADLKM MCLEEDASER RSPSFADLFR TPLSRKHTLI LMYLWFSCAV  
LYQGLIMHVG ATGANLYLDF FYSSLVEFPA AFILVTIDR IGRIYPIAAS NLVAGAAACL  
MIFIPHELHW LNVTLACLGR MGATIVLQMV CLVNAELYPT FIRNLGMMVC SALCDLGGIF  
TPFMVFRLME VWQALPLILF GVLGLSAGAV TLLLPEKGV ALPETIEEAE NLGRRKSKAK  
ENTIYLVQVQT GKSPHT

**Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.**

## Product Details

---

- Characteristics:
- Made in Germany - from design to production - by highly experienced protein experts.
  - Mouse Slc22a1 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
  - State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receipt of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

- 
- Purification:
- Three step purification of membrane proteins expressed in baculovirus infected SF9 insect cells:
1. Membrane proteins are fractionated by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot.
  2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.
  3. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot.

---

Purity: >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

---

Sterility: 0.22 µm filtered

---

Endotoxin Level: Protein is endotoxin-free.

---

Grade: Crystallography grade

## Target Details

---

Target:	SLC22A1
Alternative Name:	Slc22a1 ( <a href="#">SLC22A1 Products</a> )
Background:	<p>Translocates a broad array of organic cations with various structures and molecular weights including the model compounds 1-methyl-4-phenylpyridinium (MPP), tetraethylammonium (TEA), N-1-methylnicotinamide (NMN), 4-(4-(dimethylamino)styryl)-N-methylpyridinium (ASP), the endogenous compounds choline, guanidine, histamine, epinephrine, adrenaline, noradrenaline and dopamine, and the drugs quinine, and metformin. The transport of organic cations is inhibited by a broad array of compounds like tetramethylammonium (TMA), cocaine, lidocaine, NMDA receptor antagonists, atropine, prazosin, cimetidine, TEA and NMN, guanidine, cimetidine, choline, procainamide, quinine, tetrabutylammonium, and tetrapentylammonium. Translocates organic cations in an electrogenic and pH -independent manner. Translocates organic cations across the plasma membrane in both directions. Transports the polyamines spermine and spermidine. Transports pramipexole across the basolateral membrane of the proximal tubular epithelial cells. The choline transport is activated by MMTS. Regulated by various intracellular signaling pathways including inhibition by protein kinase A activation, and endogenously activation by the calmodulin complex, the calmodulin-dependent kinase II and LCK tyrosine kinase. {ECO:0000269 PubMed:10216142, ECO:0000269 PubMed:12176030}.</p>
Molecular Weight:	62.7 kDa Including tag.
UniProt:	<a href="#">O08966</a>
Pathways:	<a href="#">Hormone Transport</a>

## Application Details

---

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only

## Handling

---

Format:	Liquid
Buffer:	100 mM NaCl, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

## Images

---



**Image 1.** „Crystallography Grade“ protein due to multi-step, protein-specific purification process