antibodies -online.com





Go to Product page

Datasheet for ABIN3131804

E2F6 Protein (AA 1-272) (Strep Tag)

Overview

Quantity:	1 mg
Target:	E2F6
Protein Characteristics:	AA 1-272
Origin:	Mouse
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This E2F6 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Sequence:

MSQQRTARRQ PSLLVDPAQE TVRRRCRDPI NVENLLPSKI RINLEENVQY VSMRKALKVK
RPRFDVSLVY LTRKFMDLVR SAPGGILDLN KVATKLGVRK RRVYDITNVL DGIELVEKKS
KNHIRWIGSD LNNFGAAPQQ KKLQAELSDL SAMEDALDEL IKDCAQQLLE LTDDKENERL
AYVTYQDIHG IQAFHEQIVI AVKAPEETRL DVPAPREDSI TVHIRSTKGP IDVYLCEVEQ
NHSNGKTNDG IGASPSKSSH PQCPEKEDEP PQ

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.

- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

- 1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.
- 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

≥ 80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Endotoxin Level:

Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)

Target Details

Target:	E2F6
Alternative Name:	E2f6 (E2F6 Products)
Background:	Transcription factor E2F6 (E2F-6) (E2F-binding site-modulating activity protein)
	(EMA),FUNCTION: Inhibitor of E2F-dependent transcription (PubMed:9403682). Binds DNA
	cooperatively with DP proteins through the E2 recognition site, 5'-TTTC[CG]CGC-3'
	(PubMed:9403682, PubMed:18667754). Has a preference for the 5'-TTTCCCGC-3' E2F
	recognition site (PubMed:9403682). E2F6 lacks the transcriptional activation and pocket
	protein binding domains (PubMed:9403682). Appears to regulate a subset of E2F-dependent
	genes whose products are required for entry into the cell cycle but not for normal cell cycle
	progression (By similarity). Represses expression of some meiosis-specific genes, including
	SLC25A31/ANT4 (PubMed:18667754). May silence expression via the recruitment of a
	chromatin remodeling complex containing histone H3-K9 methyltransferase activity.
	Overexpression delays the exit of cells from the S-phase (By similarity).
	{ECO:0000250 UniProtKB:075461, ECO:0000269 PubMed:18667754,
	ECO:0000269 PubMed:9403682}.
Molecular Weight:	30.9 kDa
JniProt:	054917
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a
	guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce
	even the most difficult-to-express proteins, including those that require post-translational
	modifications.
	During lysate production, the cell wall and other cellular components that are not required for
	protein production are removed, leaving only the protein production machinery and the
	mitochondria to drive the reaction. During our lysate completion steps, the additional
	components needed for protein production (amino acids, cofactors, etc.) are added to produce
	something that functions like a cell, but without the constraints of a living system - all that's
	needed is the DNA that codes for the desired protein!
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)