

Datasheet for ABIN3131804

E2F6 Protein (AA 1-272) (Strep Tag)



Go to Prod	uct	pag	je
------------	-----	-----	----

Overviev	

Quantity:	250 μg
Target:	E2F6
Protein Characteristics:	AA 1-272
Origin:	Mouse
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This E2F6 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)
Product Details	
Brand:	AliCE®
Sequence:	MSQQRTARRQ PSLLVDPAQE TVRRRCRDPI NVENLLPSKI RINLEENVQY VSMRKALKVK
	RPRFDVSLVY LTRKFMDLVR SAPGGILDLN KVATKLGVRK RRVYDITNVL DGIELVEKKS
	KNHIRWIGSD LNNFGAAPQQ KKLQAELSDL SAMEDALDEL IKDCAQQLLE LTDDKENERL
	AYVTYQDIHG IQAFHEQIVI AVKAPEETRL DVPAPREDSI TVHIRSTKGP IDVYLCEVEQ
	NHSNGKTNDG IGASPSKSSH PQCPEKEDEP PQ
	Sequence without tag. The proposed Strep-Tag is based on experience s with the expression
	system, a different complexity of the protein could make another tag necessary. In case you
	have a special request, please contact us.
Characteristics:	Key Benefits:
	Made in Germany - from design to production - by highly experienced protein experts.

- · Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- · The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Grade:	custom-made
Target Details	
Target:	E2F6
Alternative Name:	E2f6 (E2F6 Products)

Target Details

Background:

Transcription factor E2F6 (E2F-6) (E2F-binding site-modulating activity protein)

(EMA),FUNCTION: Inhibitor of E2F-dependent transcription (PubMed:9403682). Binds DNA cooperatively with DP proteins through the E2 recognition site, 5'-TTTC[CG]CGC-3'

(PubMed:9403682, PubMed:18667754). Has a preference for the 5'-TTTCCCGC-3' E2F recognition site (PubMed:9403682). E2F6 lacks the transcriptional activation and pocket protein binding domains (PubMed:9403682). Appears to regulate a subset of E2F-dependent genes whose products are required for entry into the cell cycle but not for normal cell cycle progression (By similarity). Represses expression of some meiosis-specific genes, including SLC25A31/ANT4 (PubMed:18667754). May silence expression via the recruitment of a chromatin remodeling complex containing histone H3-K9 methyltransferase activity.

Overexpression delays the exit of cells from the S-phase (By similarity).

{ECO:0000250|UniProtKB:075461, ECO:0000269|PubMed:18667754, ECO:0000269|PubMed:9403682}.

Molecular Weight:

30.9 kDa

UniProt:

054917

Application Details

Application Notes:

In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment:

ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions:

For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months