

# Datasheet for ABIN3131807 SOCS5 Protein (AA 1-536) (His tag)



[Go to Product page](#)

## 1 Image

### Overview

Quantity:	1 mg
Target:	SOCS5
Protein Characteristics:	AA 1-536
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This SOCS5 protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), Crystallization (Crys), SDS-PAGE (SDS)

### Product Details

Sequence: MDKVGKMWNN LKYRCQNLFS HEGGSRNENV EMNPNRCPSV KEKSISLGEA APQQESSPLR  
ENVALQLGLS PSKTFSTRNQ NCAAEIPQVV EISIEKSDS GATPGTRLAR RDSYSRHAPW  
GGKKKHSCST KTQSSLDTEK KFGRTSRGLQ RRERRYGVSS MQDMDSVSSR AVGSRSLRQR  
LQDTVGLCFP MRTYSKQSKP LFSNKRKIHL SELMLEKCPF PAGSDLAQKW HLIQHTAPV  
SPHSTFFDTF DPSLVSTEDE EDRLRERRRL SIEEGVDPPP NAQIHTFEAT AQVNPLYKLG  
PKLAPGMTEI SGDGSaipQT NCDSEEDSTT LCLQSRRQKQ RQVSGDSHAH VSRQGAWKVH  
TQIDYIHCLV PDLLQITGNP CYWGVMDRYE AEALLEGKPE GTFLLRDSAQ EDYLFVSFR  
RYNRS LHARI EQWNHNFSFD AHDP CVFHSS TVTGLLEHYK DPSSCMFFEP LLTISLNRTF  
PFSLQYICRA VICRCTTYDG IDGLPLPSML QDFLKEYHYK QKVRVRWLER EPVKAK

**Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.**

## Product Details

---

- Characteristics:
- Made in Germany - from design to production - by highly experienced protein experts.
  - Mouse Socs5 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
  - State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receipt of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

- Purification:
- Two step purification of proteins expressed in baculovirus infected SF9 insect cells:
1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
  2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity: >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility: 0.22 µm filtered

Endotoxin Level: Protein is endotoxin free.

Grade: Crystallography grade

## Target Details

Target:	SOCS5
Alternative Name:	Socs5 ( <a href="#">SOCS5 Products</a> )
Background:	SOCS family proteins form part of a classical negative feedback system that regulates cytokine signal transduction. May be a substrate-recognition component of a SCF-like ECS (Elongin BC-CUL2/5-SOCS-box protein) E3 ubiquitin-protein ligase complex which mediates the ubiquitination and subsequent proteasomal degradation of target proteins. Inhibits for instance EGF signaling by mediating the degradation of the EGF receptor/EGFR. Involved in the regulation of T-helper cell differentiation by inhibiting of the IL4 signaling pathway which promotes differentiation into the Th2 phenotype. Can also partially inhibit IL6 and LIF signaling. {ECO:0000269 PubMed:12242343}.
Molecular Weight:	62.0 kDa Including tag.
UniProt:	<a href="#">O54928</a>
Pathways:	<a href="#">JAK-STAT Signaling</a> , <a href="#">EGFR Signaling Pathway</a> , <a href="#">Positive Regulation of Immune Effector Process</a>

## Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)



**Image 1.** „Crystallography Grade“ protein due to multi-step, protein-specific purification process