

### Datasheet for ABIN3131828

## CBFA2T3 Protein (AA 1-620) (Strep Tag)



### Overview

Quantity:	250 μg
Target:	CBFA2T3
Protein Characteristics:	AA 1-620
Origin:	Mouse
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This CBFA2T3 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Brand:	AliCE®
Sequence:	MSQASTTTLE SGALLSGPRG LQYGSPAHRK EKAAAMPDSP AEVKTQPRST PPSMPPPPPT
	SSQGATRPPS FTPHTHGEDG PATSLPHGRF HGCLKWSMVC LLMNGSSHSP TAIHGAPSTP
	NGFSNGPATS STASLSTQHL PPACGARQLS KLKRFLTTLQ QFGSDISPEI GERVRTLVLG
	LVNSTLTIEE FHAKLQEATN FPLRPFVIPF LKANLPLLQR ELLHCARLAK QTPAQYLAQH
	EQLLLDASAT SPVDSSELLL EVNENGKRRT PDRTKENGSD RDPLHPDHLS KRSCTLSPAQ
	RCSPSNGLPH PTPPPPPHYR LEDMAMAHHF RDSYRHPDPR ELRERHRPLA IPGSRQEEVI
	DHRLTEREWA EEWKHLNSLL NCIMDMVEKT RRSLTVLRRC QEADREELNH WIRCYSDSEE
	GKKGPTPISA RSLNSCSGPE GSQLDVHRDF TPRTLSGYMP EEIWRKAEEA VNEVKRQAMS
	ELQKAVSDAE RKAHELITTE RAKMERALAE AKRQASEDAL TVINQQEDSS ESCWNCGRKA
	SETCSGCNAA RYCGSFCQHK DWEKHHHVCG QSLQGPAAAV ADPLPGQPDA TASPSEAGSA
	GPSRPCSPGP PGPLDAAVPR

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

#### Characteristics:

#### Key Benefits:

- · Made in Germany from design to production by highly experienced protein experts.
- · Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

#### Expression System:

- ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
  protein production are removed, leaving only the protein production machinery and the
  mitochondria to drive the reaction. During our lysate completion steps, the additional
  components needed for protein production (amino acids, cofactors, etc.) are added to
  produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

#### Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- · The protein's absorbance will be measured against its specific reference buffer.
- · We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).

# **Product Details** Grade: custom-made **Target Details** Target: CBFA2T3 Alternative Name Cbfa2t3 (CBFA2T3 Products) Background: Protein CBFA2T3 (Eight twenty one protein 2) (MTG8-related protein 2) (Protein ETO-2), FUNCTION: Transcriptional corepressor which facilitates transcriptional repression via its association with DNA-binding transcription factors and recruitment of other corepressors and histone-modifying enzymes. Can repress the expression of MMP7 in a ZBTB33-dependent manner. Reduces the protein levels and stability of the transcriptinal regulator HIF1A, interacts with EGLN1 and promotes the HIF1A prolyl hydroxylation-dependent ubiquitination and proteasomal degradation pathway. Contributes to inhibition of glycolysis and stimulation of mitochondrial respiration by down-regulating the expression of glycolytic genes including PFKFB3, PFKFB4, PDK1, PFKP, LDHA and HK1 which are direct targets of HIF1A (By similarity). Regulates the proliferation and the differentiation of erythroid progenitors by repressing the expression of TAL1 target genes (PubMed:16407974). Plays a role in granulocyte differentiation (PubMed:15231665). {ECO:0000250|UniProtKB:075081, ECO:0000269|PubMed:11533236, ECO:0000269|PubMed:15231665, ECO:0000269|PubMed:16407974}. Molecular Weight: 68.0 kDa UniProt 054972 **Application Details** In addition to the applications listed above we expect the protein to work for functional studies **Application Notes:** as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn | International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com | Page 3/4 | Product datasheet for ABIN3131828 | 02/25/2025 | Copyright antibodies-online. All rights reserved.

During lysate production, the cell wall and other cellular components that are not required for

components needed for protein production (amino acids, cofactors, etc.) are added to produce

protein production are removed, leaving only the protein production machinery and the

mitochondria to drive the reaction. During our lysate completion steps, the additional

modifications.

## **Application Details**

	something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.  Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol <b>Might differ depending on protein.</b>
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months