antibodies .- online.com





COPB2 Protein (AA 2-905) (His tag)



Image



Go to Product page

Overview

Quantity:	1 mg
Target:	COPB2
Protein Characteristics:	AA 2-905
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This COPB2 protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), Crystallization (Crys), SDS-PAGE (SDS)

Product Details

Sequence:

PLRLDIKRKL TARSDRVKSV DLHPTEPWML ASLYNGSVCV WNHETQTLVK TFEVCDLPVR
AAKFVARKNW VVTGADDMQI RVFNYNTLER VHMFEAHSDY IRCIAVHPTQ PFILTSSDDM
LIKLWDWDKK WSCSQVFEGH THYVMQIVIN PKDNNQFASA SLDRTIKVWQ LGSSSPNFTL
EGHEKGVNCI DYYSGGDKPY LISGADDRLV KIWDYQNKTC VQTLEGHAQN VSCASFHPEL
PIIITGSEDG TVRIWHSSTY RLESTLNYGM ERVWCVASLR GSNNVALGYD EGSIIVKLGR
EEPAMSMDAN GKIIWAKHSE VQQANLKAMG DTEIKDGERL PLAVKDMGSC EIYPQTIQHN
PNGRFVVVCG DGEYIIYTAM ALRNKSFGSA QEFAWAHDSS EYAIRESNSI VKIFKNFKEK
KSFKPDFGAE SIYGGFLLGV RSVNGLAFYD WENTELIRRI EIQPKHIFWS DSGELVCIAT
EESFFILKYL SEKVLAAQET HEGVTEDGIE DAFEVLGEIQ EIVKTGLWVG DCFIYTSSVN
RLNYYVGGEI VTIAHLDRTM YLLGYIPKDN RLYLGDKELN IVSYSLLVSV LEYQTAVMRR
DFSMADKVLP TIPKEQRTRV AHFLEKQGFK QQALTVSTDP EHRFELALQL GELKIAYQLA
VEAESEQKWK QLAELAISKC QFSLAQECLH HAQDYGGLLL LATASGNASM VNKLAEGAER

DGKNNVAFMS YFLQGKLDAC LELLIRTGRL PEAAFLARTY LPSQVSRVVK LWRENLSKVN QKAAESLADP TEYENLFPGL KEAFVVEEWV KETHADLWPA KQYPLVTPNE ERNVMEEAKG FQPSRPTAQQ EPDGKPASSP VIMASQTTHK EEKSLLELEV DLDNLELEDI DTTDINLDED ILDD

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Mouse Copb2 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Product Details	
Endotoxin Level:	Protein is endotoxin free.
Grade:	Crystallography grade
Target Details	
Target:	COPB2
Alternative Name:	Copb2 (COPB2 Products)
Background:	The coatomer is a cytosolic protein complex that binds to dilysine motifs and reversibly associates with Golgi non-clathrin-coated vesicles, which further mediate biosynthetic protein transport from the ER, via the Golgi up to the trans Golgi network. Coatomer complex is required for budding from Golgi membranes, and is essential for the retrograde Golgi-to-ER transport of dilysine-tagged proteins. In mammals, the coatomer can only be recruited by membranes associated to ADP-ribosylation factors (ARFs), which are small GTP-binding proteins, the complex also influences the Golgi structural integrity, as well as the processing, activity, and endocytic recycling of LDL receptors (By similarity). {ECO:0000250}., This coatomer complex protein, essential for Golgi budding and vesicular trafficking, is a selective binding protein (RACK) for protein kinase C, epsilon type. It binds to Golgi membranes in a GTP-dependent manner.
Molecular Weight:	103.3 kDa Including tag.
UniProt:	055029
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid

Handling

Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Images




Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process