



[Go to Product page](#)

Datasheet for ABIN3131899
SUPT5H Protein (AA 1-1082) (Strep Tag)

Overview

Quantity:	1 mg
Target:	SUPT5H
Protein Characteristics:	AA 1-1082
Origin:	Mouse
Source:	Tobacco (<i>Nicotiana tabacum</i>)
Protein Type:	Recombinant
Purification tag / Conjugate:	This SUPT5H protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Sequence: MSDSEDSNFS EEEDSERSE AEEAEVEEDQ RSAAGSEKEE EPEEEEEEEE EYDEEEEEED
DDRPPKKPRH GGFILDEADV DDEYEDEDQW EDGAEDILEK EEIEASNIDN VVLDEDRSGA
RRLQNLWRDQ REEELGEYYM KKYAKSSVGE TVYGGSEDELS DDITQQQLLP GVKDPNLWTV
KCKIGEERAT AISLMRKFA YQFTDTPLQI KSVVAPEHVK GYIYVEAYKQ THVKQAIEGV
GNLRLGYWNQ QMVPIKEMTD VLKVVKEVAN LKPKSWVRLK RGIYKDDIAQ VDYVEPSQNT
ISLKMIPRID YDRIKARMSL KDWFAKRKKF KRPPQRLFDA EKIRSLGGDV ASDGDFLIFE
GNRYSRKGFL FKSFAMSAVI TEGVKPTLSE LEKFEDQPEG IDLEVVTST GKEREHNFQP
GDNVEVCEGE LINLQGKVLV VDGNKITIMP KHEDLKDMLE FPAQELRKYF KMGDHVKVIA
GRFEGDTGLI VRVEENFVIL FSDLTMHELK VLPRDLQLCS ETASGVDVGG QHEWGELVQL
DPRTVGIVVR LERETFQVLN MHGKVVTVRH QAVTQKKDNR FAVALDSDQN NIHVKDIVKV
IDGPHSGREG EIRHLYRSFA FLHCKKLVEN GGMFVCKARH LVLAGGSKPR DVTNLTVGGF
TPMSPRISSP MHPSAEGQHG GFGSPGGMSR GRGRRDNELI GQTVRISQGP YKGYIGVVKD

ATESTARVEL HSTCQTISVD RQRLTTVDSQ RPPGMTSTYG RTPMYGSQTP MYGSGSRTPM
YGSQTPLQDG SRTPHYGSQT PLHDGSRTPA QSGAWDPNNP NTPSRAEEY EYAFDDEPTP
SPQAYGGTPN PQTGYPDPS SPQVNPQYNP QTPGTPAMYN TDQFSPYAAP SPQGSYQSP
SPQSYHQVAP SPAGYQNTHS PASYHPTPSP MAYQASPS PSVGYSPMTPG APSPGGYNPH
TPGSGIEQNS SDWVTTDIQV KVRDTYLDTQ IVGQTGVIRS VTGGMCSVYL KDSEKVVVIS
SEHLEPITPT KNNKVKVILG EDREATGVLL SIDGEDGIIR MDLEDQQIKI LNLRLGKLL EA

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.

Product Details

- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:	Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®): <ol style="list-style-type: none">1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	≥ 80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Endotoxin Level:	Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)

Target Details

Target:	SUPT5H
Alternative Name:	Supt5h (SUPT5H Products)
Background:	<p>Transcription elongation factor SPT5 (DRB sensitivity-inducing factor large subunit) (DSIF large subunit),FUNCTION: Component of the DRB sensitivity-inducing factor complex (DSIF complex), which regulates mRNA processing and transcription elongation by RNA polymerase II. DSIF positively regulates mRNA capping by stimulating the mRNA guanylyltransferase activity of RNGTT/CAP1A. DSIF also acts cooperatively with the negative elongation factor complex (NELF complex) to enhance transcriptional pausing at sites proximal to the promoter. Transcriptional pausing may facilitate the assembly of an elongation competent RNA polymerase II complex. DSIF and NELF promote pausing by inhibition of the transcription elongation factor TFIIS/S-II. TFIIS/S-II binds to RNA polymerase II at transcription pause sites and stimulates the weak intrinsic nuclease activity of the enzyme. Cleavage of blocked transcripts by RNA polymerase II promotes the resumption of transcription from the new 3' terminus and may allow repeated attempts at transcription through natural pause sites (By similarity). {ECO:0000250}.</p>
Molecular Weight:	120.7 kDa
UniProt:	O55201

Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: Unlimited (if stored properly)
