# antibodies .- online.com





# BARD1 Protein (AA 1-765) (His tag)



**Image** 



Go to Product pag

### Overview

Quantity:	1 mg
Target:	BARD1
Protein Characteristics:	AA 1-765
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This BARD1 protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), Crystallization (Crys), SDS-PAGE (SDS)

## **Product Details**

Sequence:

MPRRPPRVCS GNQPAPVPAM EPATDGLWAH SRAALARLEK LLRCSRCANI LKEPVCLGGC EHIFCSGCIS DCVGSGCPVC YTPAWILDLK INRQLDSMIQ LSSKLQNLLH DNKDSKDNTS RASLFGDAER KKNSIKMWFS PRSKKVRYVV TKVSVQTQPQ KAKDDKAQEA SMYEFVSATP PVAVPKSAKT ASRTSAKKHP KKSVAKINRE ENLRPETKDS RFDSKEELKE EKVVSCSQIP VMERPRVNGE IDLLASGSVV EPECSGSLTE VSLPLAEHIV SPDTVSKNEE TPEKKVCVKD LRSGGSNGNR KGCHRPTTST SDSCGSNIPS TSRGIGEPAL LAENVVLVDC SSLPSGQLQV DVTLRRKSNA SDDPLSLSPG TPPPLLNNST HRQMMSSPST VKLSSGMPAR KRNHRGETLL HIASIKGDIP SVEYLLQNGN DPNVKDHAGW TPLHEACSHG HLKVVELLLQ HNALVNTPGY QNDSPLHDAV KSGHIDIVKV LLSHGASRNA VNIFGVRPVD YTDNENIRSL LLLPEENESF STSQCSIVNT GQRKNGPLVF IGSGLSSQQQ KMLSKLETVL KAKKCMEFDS TVTHVIVPDE EAQSTLKCML GILSGCWILK FDWVKACLDS KVREQEEKYE VPGGPQRSRL NREQLLPKLF DGCYFFLGGN FKHHPRDDLL KLIAAAGGKV LSRKPKPDSD VTQTINTVAY HAKPESDQRF

CTQYIVYEDL FNCHPERVRQ GKVWMAPSTW LISCIMAFEL LPLDS

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

#### Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Mouse Bard1 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

## Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Protein is endotoxin free.

Product Details	
Grade:	Crystallography grade
Target Details	
Target:	BARD1
Alternative Name:	Bard1 (BARD1 Products)
Background:	Probable E3 ubiquitin-protein ligase. The BRCA1-BARD1 heterodimer specifically mediates the formation of 'Lys-6'-linked polyubiquitin chains and coordinates a diverse range of cellular pathways such as DNA damage repair, ubiquitination and transcriptional regulation to maintain genomic stability. Plays a central role in the control of the cell cycle in response to DNA damage. Acts by mediating ubiquitin E3 ligase activity that is required for its tumor suppressor function. Also forms a heterodimer with CSTF1/CSTF-50 to modulate mRNA processing and RNAP II stability by inhibiting pre-mRNA 3' cleavage (By similarity). {ECO:0000250}.
Molecular Weight:	85.2 kDa Including tag.
UniProt:	070445
Pathways:	DNA Damage Repair
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C

## Handling

Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

## **Images**



**Image 1.** "Crystallography Grade" protein due to multi-step, protein-specific purification process