antibodies.com

Datasheet for ABIN3132109 Aurora Kinase C Protein (AURKC) (AA 1-282) (His tag)



Overview

Quantity:	1 mg
Target:	Aurora Kinase C (AURKC)
Protein Characteristics:	AA 1-282
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Aurora Kinase C protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys)
Product Details	
Sequence:	MEPSTSTRKH FTINDFEIGR PLGRGKFGRV YLARLKENHF IVALKVLFKS EIEKEGLEHQ
	LRREVEIQAH LQHRNILRLY NYFYDDTRIY LILEYAPGGE LYKELQRHQK LDQQRTATII
	QELSDALTYC HEKKVIHRDI KPENLLLGLN GEVKISDFGW SVHTPSLRRK TMCGTLDYLP
	PEMIAQKPYN EMVDLWCIGV LCYELLVGKP PFESSTSSET YRRIRQVDFK FPSSVPAGAQ
	DLISKLLRYH PSERLSLAQV LKHPWVREHS RRVLPPCVHG AS
	Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a
	special request, please contact us.
Characteristics:	 Made in Germany - from design to production - by highly experienced protein experts. Mouse Aurkc Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade. State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made to order protein and will be made for the first time for your order. Our

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN3132109 | 05/01/2024 | Copyright antibodies-online. All rights reserved.

Target:	Aurora Kinase C (AURKC)
Target Details	
Grade:	Crystallography grade
Endotoxin Level:	Protein is endotoxin free.
Sterility:	0.22 µm filtered
Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
	through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
	fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step
	different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate
	1. In a first purification step, the protein is purified from the cleared cell lysate using three
Purification:	Two step purification of proteins expressed in baculovirus infected SF9 insect cells:
	the Expasy's protparam tool to determine the absorption coefficient of each protein.
	The concentration of the protein is calculated using its specific absorption coefficient. We use
	specific reference buffer.
	The protein's absorbance will be measured in several dilutions and is measured against its
	The concentration of our recombinant proteins is measured using the absorbance at 280nm.
	protein experts will do everything to make sure that you receive the protein you ordered.
	folded protein. With no financial risk on your end you can rest assured that our experienced
	When you order this made-to-order protein you will only pay upon receival of the correctly
	experiments or purification optimization).
	custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression
	(other companies might charge you for any performed steps in the expression process for
	In the unlikely event that the protein cannot be expressed or purified we do not charge anything
	cannot be expressed or purified.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein
	experts in the lab will ensure that you receive a correctly folded protein.

Target:	Aurora Kinase C (AURKC)
Alternative Name:	Aurkc (AURKC Products)
Background:	Serine/threonine-protein kinase component of the chromosomal passenger complex (CPC), a
	complex that acts as a key regulator of mitosis. The CPC complex has essential functions at

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN3132109 | 05/01/2024 | Copyright antibodies-online. All rights reserved.

Target Details

	the centromere in ensuring correct chromosome alignment and segregation and is required for
	chromatin-induced microtubule stabilization and spindle assembly. Plays also a role in meiosis
	and more particularly in spermatogenesis. Has redundant cellular functions with AURKB and
	can rescue an AURKB knockdown. Like AURKB, AURKC phosphorylates histone H3 at 'Ser-10'
	and 'Ser-28'. Phosphorylates TACC1, another protein involved in cell division, at 'Ser-228'.
	{ECO:0000269 PubMed:11879579, ECO:0000269 PubMed:21613325}.
Molecular Weight:	33.9 kDa Including tag.
UniProt:	088445
Pathways:	Cell Division Cycle, Maintenance of Protein Location

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)