

Datasheet for ABIN3132148

SLC27A3 Protein (AA 1-667) (Strep Tag)



Go to Product page

Overview

Quantity:	250 μg
Target:	SLC27A3 (FATP3)
Protein Characteristics:	AA 1-667
Origin:	Mouse
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This SLC27A3 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Brand:	AliCE®
Sequence:	MAALLLLLPL LLLLPLLLKL DVWPQLRWLP ADLAFTVRAL RCKRALRARA LAAAAADPES
	SESGCSLAWR LAYLAREQPT HTFLIHGAQR FSYAEAERES NRIARAFLRA RGWTGGRRGS
	GRGSTEEGAR VAPPAGDAAA RGTTAPPLAP GATVALLLPA GPDFLWIWFG LAKAGLRTAF
	VPTALRRGPL LHCLRSCGAS ALVLATEFLE SLEPDLPALR AMGLHLWATG PETNVAGISN
	LLSEAADQVD EPVPGYLSAP QNIMDTCLYI FTSGTTGLPK AARISHLKVL QCQGFYHLCG
	VHQEDVIYLA LPLYHMSGSL LGIVGCLGIG ATVVLKPKFS ASQFWDDCQK HRVTVFQYIG
	ELCRYLVNQP PSKAECDHKV RLAVGSGLRP DTWERFLRRF GPLQILETYG MTEGNVATFN
	YTGRQGAVGR ASWLYKHIFP FSLIRYDVMT GEPIRNAQGH CMTTSPGEPG LLVAPVSQQS
	PFLGYAGAPE LAKDKLLKDV FWSGDVFFNT GDLLVCDEQG FLHFHDRTGD TIRWKGENVA
	TTEVAEVLET LDFLQEVNIY GVTVPGHEGR AGMAALALRP PQALNLVQLY SHVSENLPPY
	ARPRFLRLQE SLATTETFKQ QKVRMANEGF DPSVLSDPLY VLDQDIGAYL PLTPARYSAL

LSGDLRI

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- · The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).

Purity: > 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC). Grade: custom-made Target Details Target: SLC27A3 (FATP3) Alternative Name: SIc27a3 (FATP3 Products) Background: Long-chain fatty acid transport protein 3 (FATP-3) (Fatty acid transport protein 3) (Arachidonate—CoA ligase) (EC 6.2.1.15) (Long-chain-fatty-acid—CoA ligase) (EC 6.2.1.3) (Scarrier family 27 member 3) (Very long-chain acyl-CoA synthetase homolog 3) (VLCS-3) (E 6.2.1),FUNCTION: Mainly functions as an acyl-CoA ligase catalyzing the ATP-dependent formation of fatty acyl-CoA using LCFA and very-long-chain fatty acids (VLCFA) as substrative (PubMed:15469937, PubMed:15699031). Can mediate the levels of long-chain fatty acids (LCFA) in the cell by facilitating their transport across membranes (PubMed:15699031). (ECO:0000269 PubMed:15469937, ECO:0000269 PubMed:15699031). Molecular Weight: 73.0 kDa UniProt: 088561 Application Details In addition to the applications listed above we expect the protein to work for functional studies yet we cannot offer a guarantee though.
Target: SLC27A3 (FATP3) Alternative Name: Slc27a3 (FATP3 Products) Background: Long-chain fatty acid transport protein 3 (FATP-3) (Fatty acid transport protein 3) (Arachidonate–CoA ligase) (EC 6.2.1.15) (Long-chain-fatty-acid–CoA ligase) (EC 6.2.1.3) (Scarrier family 27 member 3) (Very long-chain acyl-CoA synthetase homolog 3) (VLCS-3) (E6.2.1),FUNCTION: Mainly functions as an acyl-CoA ligase catalyzing the ATP-dependent formation of fatty acyl-CoA using LCFA and very-long-chain fatty acids (VLCFA) as substrative (PubMed:15469937, PubMed:15699031). Can mediate the levels of long-chain fatty acids (LCFA) in the cell by facilitating their transport across membranes (PubMed:15699031). (ECO:0000269 PubMed:15469937, ECO:0000269 PubMed:15699031). Molecular Weight: 73.0 kDa UniProt: 088561 Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional studies yet we cannot offer a
Target: SLC27A3 (FATP3) Alternative Name: Slc27a3 (FATP3 Products) Background: Long-chain fatty acid transport protein 3 (FATP-3) (Fatty acid transport protein 3)
Alternative Name: Slc27a3 (FATP3 Products) Background: Long-chain fatty acid transport protein 3 (FATP-3) (Fatty acid transport protein 3) (Arachidonate—CoA ligase) (EC 6.2.1.15) (Long-chain-fatty-acid—CoA ligase) (EC 6.2.1.3) (scarrier family 27 member 3) (Very long-chain acyl-CoA synthetase homolog 3) (VLCS-3) (E6.2.1),FUNCTION: Mainly functions as an acyl-CoA ligase catalyzing the ATP-dependent formation of fatty acyl-CoA using LCFA and very-long-chain fatty acids (VLCFA) as substrative (PubMed:15469937, PubMed:15699031). Can mediate the levels of long-chain fatty acids (LCFA) in the cell by facilitating their transport across membranes (PubMed:15699031). (ECO:0000269 PubMed:15469937, ECO:0000269 PubMed:15699031). Molecular Weight: 73.0 kDa UniProt: 088561 Application Details In addition to the applications listed above we expect the protein to work for functional stuas well. As the protein has not been tested for functional studies yet we cannot offer a
Background: Long-chain fatty acid transport protein 3 (FATP-3) (Fatty acid transport protein 3) (ArachidonateCoA ligase) (EC 6.2.1.15) (Long-chain-fatty-acidCoA ligase) (EC 6.2.1.3) (Secarrier family 27 member 3) (Very long-chain acyl-CoA synthetase homolog 3) (VLCS-3) (E6.2.1),FUNCTION: Mainly functions as an acyl-CoA ligase catalyzing the ATP-dependent formation of fatty acyl-CoA using LCFA and very-long-chain fatty acids (VLCFA) as substrationally (PubMed:15469937, PubMed:15699031). Can mediate the levels of long-chain fatty acids (LCFA) in the cell by facilitating their transport across membranes (PubMed:15699031). (ECO:0000269 PubMed:15469937, ECO:0000269 PubMed:15699031). Molecular Weight: 73.0 kDa UniProt: O88561 Application Details In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a
(ArachidonateCoA ligase) (EC 6.2.1.15) (Long-chain-fatty-acidCoA ligase) (EC 6.2.1.3) (\$ carrier family 27 member 3) (Very long-chain acyl-CoA synthetase homolog 3) (VLCS-3) (E 6.2.1), FUNCTION: Mainly functions as an acyl-CoA ligase catalyzing the ATP-dependent formation of fatty acyl-CoA using LCFA and very-long-chain fatty acids (VLCFA) as substrated (PubMed:15469937, PubMed:15699031). Can mediate the levels of long-chain fatty acids (LCFA) in the cell by facilitating their transport across membranes (PubMed:15699031). (ECO:0000269 PubMed:15469937, ECO:0000269 PubMed:15699031). Molecular Weight: 73.0 kDa UniProt: 088561 Application Details In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a
(PubMed:15469937, PubMed:15699031). Can mediate the levels of long-chain fatty acids (LCFA) in the cell by facilitating their transport across membranes (PubMed:15699031). (ECO:0000269 PubMed:15469937, ECO:0000269 PubMed:15699031}). Molecular Weight: 73.0 kDa UniProt: 088561 Application Details In addition to the applications listed above we expect the protein to work for functional stuas well. As the protein has not been tested for functional studies yet we cannot offer a
UniProt: Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional studies well. As the protein has not been tested for functional studies yet we cannot offer a
Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a
Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a
as well. As the protein has not been tested for functional studies yet we cannot offer a
Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to product even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to prosomething that functions like a cell, but without the constraints of a living system - all that
needed is the DNA that codes for the desired protein!

For Research Use only

Restrictions:

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months