antibodies -online.com





EGF Protein (AA 29-1217) (rho-1D4 tag)





Go to Product page

Overview

Quantity:	1 mg
Target:	EGF
Protein Characteristics:	AA 29-1217
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This EGF protein is labelled with rho-1D4 tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB), ELISA, Crystallization (Crys)

Product Details

Sequence:

WQTGNCQPGP LERSERSGTC AGPAPFLVFS QGKSISRIDP DGTNHQQLVV DAGISADMDI HYKKERLYWV DVERQVLLRV FLNGTGLEKV CNVERKVSGL AIDWIDDEVL WVDQQNGVIT VTDMTGKNSR VLLSSLKHPS NIAVDPIERL MFWSSEVTGS LHRAHLKGVD VKTLLETGGI SVLTLDVLDK RLFWVQDSGE GSHAYIHSCD YEGGSVRLIR HQARHSLSSM AFFGDRIFYS VLKSKAIWIA NKHTGKDTVR INLHPSFVTP GKLMVVHPRA QPRTEDAAKD PDPELLKQRG RPCRFGLCER DPKSHSSACA EGYTLSRDRK YCEDVNECAT QNHGCTLGCE NTPGSYHCTC PTGFVLLPDG KQCHELVSCP GNVSKCSHGC VLTSDGPRCI CPAGSVLGRD GKTCTGCSSP DNGGCSQICL PLRPGSWECD CFPGYDLQSD RKSCAASGPQ PLLLFANSQD IRHMHFDGTD YKVLLSRQMG MVFALDYDPV ESKIYFAQTA LKWIERANMD GSQRERLITE GVDTLEGLAL DWIGRRIYWT DSGKSVVGGS DLSGKHHRII IQERISRPRG IAVHPRARRL FWTDVGMSPR IESASLQGSD RVLIASSNLL EPSGITIDYL TDTLYWCDTK RSVIEMANLD GSKRRRLIQN DVGHPFSLAV FEDHLWVSDW AIPSVIRVNK RTGQNRVRLQ GSMLKPSSLV VVHPLAKPGA

DPCLYRNGGC EHICQESLGT ARCLCREGFV KAWDGKMCLP QDYPILSGEN ADLSKEVTSL SNSTQAEVPD DDGTESSTLV AEIMVSGMNY EDDCGPGGCG SHARCVSDGE TAECQCLKGF ARDGNLCSDI DECVLARSDC PSTSSRCINT EGGYVCRCSE GYEGDGISCF DIDECQRGAH NCGENAACTN TEGGYNCTCA GRPSSPGLSC PDSTAPSLLG EDGHHLDRNS YPGCPSSYDG YCLNGGVCMH IESLDSYTCN CVIGYSGDRC QTRDLRWWEL RHAGYGQKHD IMVVAVCMVA LVLLLVLGMW GTYYYRTRKQ LSNPPKNPCD EPSGSVSSSG PNSSSGAAVA SCPQPWFVVL EKHQDPKNGS LPADGTNGAV VDAGLSPSLQ LGSVHLTSWR QKPHIDGMGT GQSCWIPPSS DRGPQEIEGN SHLPSYRPVG PEKLHSLQSA NGSCHERAPD LPRQTEPVQ

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Mouse Egf Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Three step purification of membrane proteins expressed in baculovirus infected SF9 insect cells:

1. Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot.

2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot. 3. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot. Purity: >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot. Sterility: 0.22 µm filtered Endotoxin Level: Protein is endotoxin-free. Grade: Crystallography grade **Target Details** Target: **EGF** Alternative Name: Egf (EGF Products) Background: EGF stimulates the growth of various epidermal and epithelial tissues in vivo and in vitro and of some fibroblasts in cell culture. Magnesiotropic hormone that stimulates magnesium reabsorption in the renal distal convoluted tubule via engagement of EGFR and activation of the magnesium channel TRPM6 (By similarity). {ECO:0000250}. Molecular Weight: 131.0 kDa Including tag. UniProt: P01132 NF-kappaB Signaling, RTK Signaling, Fc-epsilon Receptor Signaling Pathway, EGFR Signaling Pathways: Pathway, Neurotrophin Signaling Pathway, Regulation of Carbohydrate Metabolic Process, Hepatitis C, Protein targeting to Nucleus, Interaction of EGFR with phospholipase C-gamma, Thromboxane A2 Receptor Signaling, EGFR Downregulation **Application Details** Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher

molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible

Application Details

options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufactory and the discretion of the discret		
Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufactor Handling Advice: Avoid repeated freeze-thaw cycles. Storage: -80 °C Storage Comment: Store at -80°C.		options with you in detail to assure that you receive your protein of interest.
Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufactor of the	Restrictions:	For Research Use only
Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufactory. Handling Advice: Avoid repeated freeze-thaw cycles. Storage: -80 °C Storage Comment: Store at -80°C.	Handling	
Handling Advice: Avoid repeated freeze-thaw cycles. Storage: -80 °C Storage Comment: Store at -80 °C.	Format:	Liquid
Storage: -80 °C Storage Comment: Store at -80 °C.	Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Storage Comment: Store at -80°C.	Handling Advice:	Avoid repeated freeze-thaw cycles.
	Storage:	-80 °C
Expiry Date: Unlimited (if stored properly)	Storage Comment:	Store at -80°C.
	Expiry Date:	Unlimited (if stored properly)

Images




Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process