antibodies.com

Datasheet for ABIN3132400 Ighv1-62-3 Protein (AA 20-117) (His tag)



Overview	
Quantity:	1 mg
Target:	Ighv1-62-3 (IGHV1-62-3)
Protein Characteristics:	AA 20-117
Origin:	Mouse
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Purification tag / Conjugate:	This Ighv1-62-3 protein is labelled with His tag.
Application:	Crystallization (Crys), ELISA, SDS-PAGE (SDS), Western Blotting (WB)
Product Details	
Sequence:	QVQLQQPGAE LVKPGASVKL SSKASGYTFT SYWMHWVKQR PGRGLEWIGR IDPNSGGTKY
	NEKFKSKATL TVDKPSSTAY MQLSSLTSED SAVYYCA
	Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a
	special request, please contact us.
Characteristics:	 Made in Germany - from design to production - by highly experienced protein experts. Mouse Ighv1-62-3 Protein (raised in E. Coli) purified by multi-step, protein-specific process to ensure crystallization grade. State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom
	made proteins from other companies is that there is no financial obligation in case the protein

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN3132400 | 05/01/2024 | Copyright antibodies-online. All rights reserved.

In addition to the applications listed above we expect the protein to work for functional studies
P01754
11.7 kD. Including tag.
lghv1-62-3
lghv1-62-3 (IGHV1-62-3)
Crystallography grade
Endotoxin has not been removed. Please contact us if you require endotoxin removal.
0.22 µm filtered
>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Two step purification of proteins expressed in bacterial culture: 1. In a first purification step, the protein is purified from the cleared cell lysate using three
the Expasy's protparam tool to determine the absorption coefficient of each protein.
specific reference buffer. The concentration of the protein is calculated using its specific absorption coefficient. We use
The protein's absorbance will be measured in several dilutions and is measured against its
The concentration of our recombinant proteins is measured using the absorbance at 280nm.
protein experts will do everything to make sure that you receive the protein you ordered.
folded protein. With no financial risk on your end you can rest assured that our experienced
When you order this made-to-order protein you will only pay upon receival of the correctly
experiments or purification optimization).
custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression
(other companies might charge you for any performed steps in the expression process for
In the unlikely event that the protein cannot be expressed or purified we do not charge anything

International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN3132400 | 05/01/2024 | Copyright antibodies-online. All rights reserved.

Application Details	
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)