

Datasheet for ABIN3132572

ENPP1 Protein (AA 1-906) (rho-1D4 tag)[Go to Product page](#)**1** Image

Overview

| | |
|-------------------------------|--|
| Quantity: | 1 mg |
| Target: | ENPP1 |
| Protein Characteristics: | AA 1-906 |
| Origin: | Mouse |
| Source: | Insect Cells |
| Protein Type: | Recombinant |
| Purification tag / Conjugate: | This ENPP1 protein is labelled with rho-1D4 tag. |
| Application: | Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys) |

Product Details

| | |
|-----------|--|
| Sequence: | MERDGDQAGH GPRHGSAGNG RELESPAAAS LLAPMDLGEE PLEKAERARP AKDPNTYKVL SLVLSVCVLT TILGCIFGLK PSCAKEVKSC KGRCFERTFS NCRCDAAACVS LGNCCLDFQE TCVEPTHIWT CNKFRGGEKR LSRFVCSCAD DCKTHNDCCI NYSSVCQDKK SWVEETCESI DTPECPAEFE SPPTLLFSLD GFRAEYLHTW GGLLPVISKL KNCGYTKNM RPMYPTKTFP NHYSIVTGLY PESHGIIDNK MYDPKMNASF SLKSKEKFNP LWYKGQPIWV TANHQEVKSG TYFWPGSDVE IDGILPDIYK VYNGSVPFEE RILAVLEWLQ LPSHERPHFY TLYLEPDSS GHSHGPVSSE VIKALQKVDR LVGMLMDGLK DLGLDKCLNL ILISDHGMEQ GSCKKYVYLN KYLGDVNNVK VVYGPAARLR PTDVPETYYS FNYEALAKNL SCREPNQHFR PYLKPFLPKR LHFAKSDRIE PLTFYLD PQW QLALNPSEK YCGSGFHGSD NLFSNMQALF IGYGPAFKHG AEVDSFENIE VYNLMCDLLG LIPAPNNGSH GSLNHLLKKP IYNPSHPKEE GFLSQCPIS TSNDLGCTCD PWIVPIKDFE KQLNLTTEDV DDIYHMTVPY GRPRILLKQH HVCLLQQQQF LTGYSLDLLM PLWASYTFLR NDQFSRDDFS NCLYQDLRIP LSPVHKCSYY KSNSKLSYGF |
|-----------|--|

LTPPRLNRVS NHIYSEALLT SNIVPMYQSF QVIWHYLHDT LLQRYAHERN GINVVSGPVF
DFDYDGRYDS LEILKQNSRV IRSQEILPT HFFIVLTSCK QLSETPLECS ALESSAYILP
HRPDNIESCT HGKRESSWVE ELLTLHRARV TDVELITGLS FYQDRQESVS ELLRLKTHLP IFSQED

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany - from design to production - by highly experienced protein experts.
- Mouse Enpp1 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receipt of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Three step purification of membrane proteins expressed in baculovirus infected SF9 insect cells:

1. Membrane proteins are fractionated by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot.
2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.
3. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Product Details

| | |
|------------------|--|
| Purity: | >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot. |
| Sterility: | 0.22 µm filtered |
| Endotoxin Level: | Protein is endotoxin-free. |
| Grade: | Crystallography grade |

Target Details

| | |
|-------------------|---|
| Target: | ENPP1 |
| Alternative Name: | Enpp1 (ENPP1 Products) |
| Background: | Appears to modulate insulin sensitivity (By similarity). By generating P _{PPi} , plays a role in regulating pyrophosphate levels, and functions in bone mineralization and soft tissue calcification. P _{PPi} inhibits mineralization by binding to nascent hydroxyapatite (HA) crystals, thereby preventing further growth of these crystals. Preferentially hydrolyzes ATP, but can also hydrolyze other nucleoside 5' triphosphates such as GTP, CTP, TTP and UTP to their corresponding monophosphates with release of pyrophosphate and diadenosine polyphosphates, and also 3',5'-cAMP to AMP. May also be involved in the regulation of the availability of nucleotide sugars in the endoplasmic reticulum and Golgi, and the regulation of purinergic signaling. {ECO:0000250, ECO:0000269 PubMed:1647027, ECO:0000269 PubMed:9662402}. |
| Molecular Weight: | 104.3 kDa Including tag. |
| UniProt: | P06802 |
| Pathways: | Regulation of Carbohydrate Metabolic Process |

Application Details

| | |
|--------------------|---|
| Application Notes: | In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. |
| Comment: | Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. |
| Restrictions: | For Research Use only |

Handling

| | |
|------------------|--|
| Format: | Liquid |
| Buffer: | 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer. |
| Handling Advice: | Avoid repeated freeze-thaw cycles. |
| Storage: | -80 °C |
| Storage Comment: | Store at -80°C. |
| Expiry Date: | Unlimited (if stored properly) |

Images



Image 1. „Crystallography Grade“ protein due to multi-step, protein-specific purification process