



[Go to Product page](#)

Datasheet for ABIN3132702
E-cadherin Protein (AA 157-884) (rho-1D4 tag)

Overview

Quantity:	1 mg
Target:	E-cadherin (CDH1)
Protein Characteristics:	AA 157-884
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This E-cadherin protein is labelled with rho-1D4 tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB), ELISA, Crystallization (Crys)

Product Details

Sequence: DWVIPPISCP ENKGEFPKN LVQIKSNRDK ETKVFYSITG QGADKPPVGV FIERETGWL
KVTQPLDREA IAKYILYSHA VSSNGEAVED PMEIVITVTD QNDRPEFTQ EVFEGSVAEG
AVPGTSVMKV SATDADDDVN TYNAAIAYTI VSQPELPHK NMFTVNRDTG VISVLTSGLD
RESYPTYTLV VQAADLQEGE LSTTAKAVIT VKDINDNAPV FNPSTYQGQV PENEVNARIA
TLKVTDDDAP NTPAWKAVYT VVNDPDQQFV VTDPTTNDG ILKTAKGLDF EAKQQYILHV
RVNEEPFEG SLVPSTATVT VDVVVDVNEAP IFMPAERRVE VPEDFGVGQE ITSYTAREPD
TFMDQKITYR IWRDTANWLE INPETGAIFT RAEMDREDAE HVKNSTYVAL IATDDGSP
ATGTGTLVV LLDVNDNAPI PEPRNMQFCQ RNPQPHIIT LDPDLPPNTS PFTAELTHGA
SVNWTIEYND AAQESLILQP RKDLEIGEYK IHLKLADNQN KDQVTTLDVH VCDCEGTVNN
CMKAGIVAAG LQVPAILGIL GGILALLILI LLLLFLRRR TVVKEPLLP DDDTRDNVYY
YDEEGGGEED QDFDLSQLHR GLDARPEVTR NDVAPTLMSV PQYRPRPANP DEIGNFIDEN
LKAADSDPTA PPYDSSLVFD YEGSGSEAAS LSSLNSSESD QDQDYDYLNE WGNRFKLLAD

MYGGGEDD

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany - from design to production - by highly experienced protein experts.
- Mouse Cdh1 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receipt of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Three step purification of membrane proteins expressed in baculovirus infected SF9 insect cells:

1. Membrane proteins are fractionated by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot.
2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.
3. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Product Details

Endotoxin Level: Protein is endotoxin-free.

Grade: Crystallography grade

Target Details

Target: E-cadherin (CDH1)

Alternative Name: Cdh1 ([CDH1 Products](#))

Background: Cadherins are calcium-dependent cell adhesion proteins. They preferentially interact with themselves in a homophilic manner in connecting cells, cadherins may thus contribute to the sorting of heterogeneous cell types. CDH1 is involved in mechanisms regulating cell-cell adhesions, mobility and proliferation of epithelial cells. Has a potent invasive suppressor role. It is a ligand for integrin alpha-E/beta-7 (By similarity). {ECO:0000250}, E-Cad/CTF2 promotes non-amyloidogenic degradation of Abeta precursors. Has a strong inhibitory effect on APP C99 and C83 production (By similarity). {ECO:0000250}.

Molecular Weight: 81.5 kDa Including tag.

UniProt: [P09803](#)

Pathways: [WNT Signaling](#), [Sensory Perception of Sound](#), [Cell-Cell Junction Organization](#), [Tube Formation](#)

Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: 100 mM NaCl, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.

Handling Advice: Avoid repeated freeze-thaw cycles.

Handling

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: Unlimited (if stored properly)