

Datasheet for ABIN3133023

N-Cadherin Protein (AA 160-906) (rho-1D4 tag)



Overview

Quantity:	1 mg
Target:	N-Cadherin (CDH2)
Protein Characteristics:	AA 160-906
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This N-Cadherin protein is labelled with rho-1D4 tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys)

Product Details

Sequence:

DWVIPPINLP ENSRGPFPQE LVRIRSDRDK NLSLRYSVTG PGADQPPTGI FIINPISGQL
SVTKPLDREL IARFHLRAHA VDINGNQVEN PIDIVINVID MNDNRPEFLH QVWNGSVPEG
SKPGTYVMTV TAIDADDPNA LNGMLRYRIL SQAPSTPSPN MFTINNETGD IITVAAGLDR
EKVQQYTLII QATDMEGNPT YGLSNTATAV ITVTDVNDNP PEFTAMTFYG EVPENRVDVI
VANLTVTDKD QPHTPAWNAA YRISGGDPTG RFAILTDPNS NDGLVTVVKP IDFETNRMFV
LTVAAENQVP LAKGIQHPPQ STATVSVTVI DVNENPYFAP NPKIIRQEEG LHAGTMLTTL
TAQDPDRYMQ QNIRYTKLSD PANWLKIDPV NGQITTIAVL DRESPNVKNN IYNATFLASD
NGIPPMSGTG TLQIYLLDIN DNAPQVLPQE AETCETPEPN SINITALDYD IDPNAGPFAF
DLPLSPVTIK RNWTINRLNG DFAQLNLKIK FLEAGIYEVP IIITDSGNPP KSNISILRVK
VCQCDSNGDC TDVDRIVGAG LGTGAIIAIL LCIIILLILV LMFVVWMKRR DKERQAKQLL
IDPEDDVRDN ILKYDEEGGG EEDQDYDLSQ LQQPDTVEPD AIKPVGIRRL DERPIHAEPQ
YPVRSAAPHP GDIGDFINEG LKAADNDPTA PPYDSLLVFD YEGSGSTAGS LSSLNSSSSG

GDQDYDYLND WGPRFKKLAD MYGGGDD

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Mouse Cdh2 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Three step purification of membrane proteins expressed in baculovirus infected SF9 insect cells:

- 1. Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot.
- 2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.
- 3. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Product Details	
Endotoxin Level:	Protein is endotoxin-free.
Grade:	Crystallography grade
Target Details	
Target:	N-Cadherin (CDH2)
Alternative Name:	Cdh2 (CDH2 Products)
Background: Molecular Weight:	Cadherins are calcium-dependent cell adhesion proteins. They preferentially interact with themselves in a homophilic manner in connecting cells, cadherins may thus contribute to the sorting of heterogeneous cell types. Acts as a regulator of neural stem cells quiescence by mediating anchorage of neural stem cells to ependymocytes in the adult subependymal zone: upon cleavage by MMP24, CDH2-mediated anchorage is affected, leading to modulate neural stem cell quiescence (PubMed:24952463). CDH2 may be involved in neuronal recognition mechanism. In hippocampal neurons, may regulate dendritic spine density. {ECO:0000269 PubMed:11433297, ECO:0000269 PubMed:17988630, ECO:0000269 PubMed:24952463}.
UniProt:	P15116
Pathways:	Regulation of Muscle Cell Differentiation, Cell-Cell Junction Organization, Synaptic Membrane
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid

Handling

Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)