

Datasheet for ABIN3133143

POU4F1 Protein (AA 1-421) (Strep Tag)



[Go to Product page](#)

Overview

Quantity:	250 µg
Target:	POU4F1
Protein Characteristics:	AA 1-421
Origin:	Mouse
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This POU4F1 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Brand:	AliCE®
Sequence:	MMSMNSKQPH FAMHPTLPEH KYPSLHSSSE AIRRACLPTP PLQSNLFASL DETLLARAEA LAAVDIAVSQ GKSHPFKPDA TYHTMNSVPC TSTSTVPLAH HHHHHHHHQA LEPGDLLDHI SSPSLALMAG AGGAGAAGGG GGAHDGPGGG GPGGGGGGPG GGGPGGGGGG GPGGGGGGGP GGGLLGSAH PHPMHGHLGH LSHPAAAAAM NMPSGLPHPG LVAAAAHHGA AAAAAAAG QVAAASAAAA VVGAAGLASI CDSDDPREL EAFAERFKQR RIKLGVTQAD VGSALANLKI PGVGSLSQST ICRFESLTLH HNNMIALKPI LQAWLEEAEG AQREKMNKPE LFNGGEKKRK RTSIAAPEKR SLEAYFAVQP RPSSEKIAAI AEKLDLKKNV VRVWFCNQRQ KQKRMKFSAT Y Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.
Characteristics:	Key Benefits:

Product Details

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®).
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Grade:	custom-made

Target Details

Target:	POU4F1
---------	--------

Target Details

Alternative Name: Pou4f1 ([POU4F1 Products](#))

Background: POU domain, class 4, transcription factor 1 (Brain-specific homeobox/POU domain protein 3A) (Brain-3A) (Brn-3A) (Brn-3.0), FUNCTION: Multifunctional transcription factor with different regions mediating its different effects (PubMed:10640682, PubMed:8621561, PubMed:9694219, PubMed:9722627). Acts by binding (via its C-terminal domain) to sequences related to the consensus octamer motif 5'-ATGCAAAT-3' in the regulatory regions of its target genes (PubMed:8621561, PubMed:17668438). Regulates the expression of specific genes involved in differentiation and survival within a subset of neuronal lineages. It has been shown that activation of some of these genes requires its N-terminal domain, maybe through a neuronal-specific cofactor (PubMed:12934100). Activates BCL2 expression and protects neuronal cells from apoptosis (via the N-terminal domain) (PubMed:9722627). Induces neuronal process outgrowth and the coordinate expression of genes encoding synaptic proteins (PubMed:8972215). Exerts its major developmental effects in somatosensory neurons and in brainstem nuclei involved in motor control. Stimulates the binding affinity of the nuclear estrogen receptor ESR1 to DNA estrogen response element (ERE), and hence modulates ESR1-induced transcriptional activity (PubMed:9448000). May positively regulate POU4F2 and POU4F3 (PubMed:8876243). Regulates dorsal root ganglion sensory neuron specification and axonal projection into the spinal cord (PubMed:22326227). Plays a role in TNFSF11-mediated terminal osteoclast differentiation (PubMed:17668438). Negatively regulates its own expression interacting directly with a highly conserved autoregulatory domain surrounding the transcription initiation site (PubMed:12441296). {ECO:0000269|PubMed:10640682, ECO:0000269|PubMed:12441296, ECO:0000269|PubMed:12934100, ECO:0000269|PubMed:17668438, ECO:0000269|PubMed:22326227, ECO:0000269|PubMed:8621561, ECO:0000269|PubMed:8876243, ECO:0000269|PubMed:8972215, ECO:0000269|PubMed:9448000, ECO:0000269|PubMed:9694219, ECO:0000269|PubMed:9722627}., FUNCTION: [Isoform 2]: Able to act as transcription factor, cannot regulate the expression of the same subset of genes than isoform 1 (PubMed:12934100). Does not have antiapoptotic effect on neuronal cells (PubMed:9722627). {ECO:0000269|PubMed:12934100, ECO:0000269|PubMed:9722627}.

Molecular Weight: 42.8 kDa

UniProt: [P17208](#)

Pathways: [Feeding Behaviour](#)

Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: The buffer composition is at the discretion of the manufacturer.
Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol **Might differ depending on protein.**

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: 12 months