

Datasheet for ABIN3133193 CD147 Protein (AA 22-325) (His tag)



Overview Quantity: 1 mg CD147 (BSG) Target: Protein Characteristics: AA 22-325 Origin: Mouse Source: Insect Cells Protein Type: Recombinant Purification tag / Conjugate: This CD147 protein is labelled with His tag. Application: ELISA, SDS-PAGE (SDS), Western Blotting (WB), Crystallization (Crys) Product Details Sequence: AAGFLKAPLS QERWAGGSVV LHCEAVGSPI PEIQWWFEGN APNDSCSQLW DGARLDRVHI HAAYRQHAAS SLSVDGLTAE DTGTYECRAS SDPDRNHLTR PPRVKWVRAQ ASVVVLEPGT IQTSVQEVNS KTQLTCSLNS SGVDIVGHRW MRGGKVLQED TLPDLHTKYI VDADDRSGEY SCIFLPEPVG RSEINVEGPP RIKVGKKSEH SSEGELAKLV CKSDASYPPI TDWFWFKTSD TGEEEAITNS TEANGKYVVV STPEKSQLTI SNLDVNVDPG TYVCNATNAQ GTTRETISLR VRSR Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us. Characteristics: • Made in Germany - from design to production - by highly experienced protein experts. Mouse Bsg Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade. • State-of-the-art algorithm used for plasmid design (Gene synthesis). This protein is a made to order protein and will be made for the first time for your order. Our

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN3133193 | 08/02/2024 | Copyright antibodies-online. All rights reserved.

Target Details	
Grade:	Crystallography grade
Endotoxin Level:	Protein is endotoxin free.
Sterility:	0.22 µm filtered
Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Purification:	 Two step purification of proteins expressed in baculovirus infected SF9 insect cells: 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
	The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.
	The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
	The concentration of our recombinant proteins is measured using the absorbance at 280nm.
	protein experts will do everything to make sure that you receive the protein you ordered.
	folded protein. With no financial risk on your end you can rest assured that our experienced
	When you order this made-to-order protein you will only pay upon receival of the correctly
	experiments or purification optimization).
	custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression
	(other companies might charge you for any performed steps in the expression process for
	In the unlikely event that the protein cannot be expressed or purified we do not charge anything
	cannot be expressed or purified.
	made proteins from other companies is that there is no financial obligation in case the protein
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom
	experts in the lab will ensure that you receive a correctly folded protein.

Target:	CD147 (BSG)
Alternative Name:	Bsg (BSG Products)
Background:	Plays an important role in targeting the monocarboxylate transporters SLC16A1, SLC16A3 and
	SLC16A8 to the plasma membrane. Plays pivotal roles in spermatogenesis, embryo

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN3133193 | 08/02/2024 | Copyright antibodies-online. All rights reserved.

Target Details

	implantation, neural network formation and tumor progression. Stimulates adjacent fibroblasts
	to produce matrix metalloproteinases (MMPS). Seems to be a receptor for oligomannosidic
	glycans. In vitro, promotes outgrowth of astrocytic processes.
	{ECO:0000269 PubMed:12558975, ECO:0000269 PubMed:12601063,
	ECO:0000269 PubMed:21792931}.
Molecular Weight:	34.3 kDa Including tag.
UniProt:	P18572
Pathways:	S100 Proteins
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee
	though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the
	recombinant protein with the default tag will be insoluble our protein lab may suggest a higher
	molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible
	options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)