antibodies -online.com





Connexin 43/GJA1 Protein (AA 232-382) (His tag)



Image



Go to Product page

\sim					
()	VE	۲۱	/1	\triangle	Λ

Overview			
Quantity:	1 mg		
Target:	Connexin 43/GJA1 (GJA1)		
Protein Characteristics:	AA 232-382		
Origin:	Mouse		
Source:	Insect Cells		
Protein Type:	Recombinant		
Purification tag / Conjugate:	This Connexin 43/GJA1 protein is labelled with His tag.		
Application:	SDS-PAGE (SDS), Western Blotting (WB), ELISA, Crystallization (Crys)		
Product Details			
Sequence:	FFKGVKDRVK GRSDPYHATT GPLSPSKDCG SPKYAYFNGC SSPTAPLSPM SPPGYKLVTG		
	DRNNSSCRNY NKQASEQNWA NYSAEQNRMG QAGSTISNSH AQPFDFPDDS QNAKKVAAGH		
	ELQPLAIVDQ RPSSRASSRA SSRPRPDDLE I		
	Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a		
	special request, please contact us.		
Characteristics:	Made in Germany - from design to production - by highly experienced protein experts.		
	Mouse Gja1 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to		
	ensure crystallization grade.		
	State-of-the-art algorithm used for plasmid design (Gene synthesis).		
	This protein is a made to order protein and will be made for the first time for your order. Our		
	ann anta in the clab will are una the transmission of annual to the label materia		
	experts in the lab will ensure that you receive a correctly folded protein.		

made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Protein is endotoxin free.

Grade:

Crystallography grade

Target Details

Target:	Connexin 43/GJA1 (GJA1)		
Alternative Name:	Gja1 (GJA1 Products)		
Background:	Gap junction protein that acts as a regulator of bladder capacity. A gap junction consists of a		
	cluster of closely packed pairs of transmembrane channels, the connexons, through which		
	materials of low MW diffuse from one cell to a neighboring cell. Negative regulator of bladder		
	functional capacity: acts by enhancing intercellular electrical and chemical transmission, thus		

9		
	sensitizing bladder muscles to cholinergic neural stimuli and causing them to contract. May	
	play a role in cell growth inhibition through the regulation of NOV expression and localization	
	(PubMed:15181016). Plays an essential role in gap junction communication in the ventricles	
	(PubMed:26403541). {ECO:0000269 PubMed:15181016, ECO:0000269 PubMed:22549838,	
	ECO:0000269 PubMed:26403541}., Connexin 43 is possibly the ATP-induced pore of mouse	
	macrophages. {EC0:0000269 PubMed:22549838}.	
Molecular Weight:	17.4 kDa Including tag.	
UniProt:	P23242	
Pathways:	MAPK Signaling, Myometrial Relaxation and Contraction, Cell-Cell Junction Organization	
Application Details		
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies	
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee	
	though.	
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the	
	recombinant protein with the default tag will be insoluble our protein lab may suggest a higher	
	molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible	
	options with you in detail to assure that you receive your protein of interest.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C.	
Expiry Date:	Unlimited (if stored properly)	



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process