

Datasheet for ABIN3133353

MOV10 Protein (AA 1-1004) (Strep Tag)



[Go to Product page](#)

Overview

Quantity:	250 µg
Target:	MOV10
Protein Characteristics:	AA 1-1004
Origin:	Mouse
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This MOV10 protein is labelled with Strep Tag.
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB)

Product Details

Brand:	AliCE®
Sequence:	MPSKFSCRKL RETGQRFESF LAERGLDLET DRERLRTIYN HDFKPSYGTP APGFSSMLYG MKIANLAFVT KTRVRFFKLD RWADVQLPEK RRIKPGSNIS KQHRSLARI FHDRAEYLHG KHGVDVEVQG PHEARDGQLL IHLDLNRKEV LTLRLRNGGS KPVTLTHLFP LCWTPQFVFY HGEQDLPCPL GPGESYELHI YCKTSIVGYF PATVLWELLG PGESGAEGAE TFYIARFLAA VAHSPLAAQL KPTTPFKRPP RLTRNSVLTN RIEEGERPDR AKGYELELSL ALGTYPPIL LRQLLPTLLQ GPSIFTAPKE VAEIKAQLET TLKSRNVEVK LRLLHLEEL QMEHDIRHYD LDSVPMTWDP VDQNPRLTL EVPGVAESRP SVLRGDHLFA LLSSETQQDD PVTYKGFVHK VELDRVKLSF STLLSRFVD GLTFKVNFTF NRQPLRVQHR ALELTGRWVL WPMLFPVASR GVSLLPDVK FKLYDRSLES NPEQLQAMKH IVRGTTTPAP YIIFGPPGTG KVTVLVEAIK QVVKHLPKAH ILACAPSNSG ADLLCQRLRV HLPSSIRLL APSRDIRMVP EDIKTCCNWD AKKGEYVYPA KKHLQQYRVL ITTLITASRL VSAQFPIDHF THIFIDEAGH CMEPESLVAI

AGLMDVKETG NPGGQLVLG DPRQLGPVLR SPLALKHGLG YSLLERLLAY NSLYKKGPNG
YDPQFITKLL RNYRSHPTIL DIPNQLYYDG ELQACADVVD RERFCRWEGL PQQGFPIIFH
GVMGKDEREG NSPSFFNPPEE AATVTSYLKQ LLAPSSKKGK ARLSPRNVGV ISPYRKQVEK
IRYCITKLDL ELRGLDDIKD LKVGSVVEEFQ GQERSVILIS TVRSSQSFEVQ LDLDLNLGLF
KNPKRFNVAV TRAKALLIVV GNPLLLGHDP DWKTFLEFCK ENGGYTGCPF PAKLDLQGGQ
DLLQGLSKLS PSTSGPRRHQ NLPQERELEG GLPLQVEPEW RNEL

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.

Product Details

- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification: One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®).

Purity: > 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).

Grade: custom-made

Target Details

Target: MOV10

Alternative Name: Mov10 ([MOV10 Products](#))

Background: Putative helicase MOV-10 (EC 3.6.4.13) (Moloney leukemia virus 10 protein),FUNCTION: 5' to 3' RNA helicase that is involved in a number of cellular roles ranging from mRNA metabolism and translation, modulation of viral infectivity, inhibition of retrotransposition, or regulation of synaptic transmission. Plays an important role in innate antiviral immunity by promoting type I interferon production. Mechanistically, specifically uses IKKepsilon/IKBKE as the mediator kinase for IRF3 activation. Contributes to UPF1 mRNA target degradation by translocation along 3' UTRs. Required for microRNA (miRNA)-mediated gene silencing by the RNA-induced silencing complex (RISC). Required for both miRNA-mediated translational repression and miRNA-mediated cleavage of complementary mRNAs by RISC. In cooperation with FMR1, regulates miRNA-mediated translational repression by AGO2. Restricts retrotransposition of long interspersed element-1 (LINE-1) in cooperation with TUT4 and TUT7 counteracting the RNA chaperone activity of L1RE1. Facilitates LINE-1 uridylation by TUT4 and TUT7 (By similarity). Required for embryonic viability and for normal central nervous system development and function. Plays two critical roles in early brain development: suppresses retroelements in the nucleus by directly inhibiting cDNA synthesis, while regulates cytoskeletal mRNAs to influence neurite outgrowth in the cytosol (PubMed:28662698). May function as a messenger ribonucleoprotein (mRNP) clearance factor (By similarity). {ECO:0000250|UniProtKB:Q9HCE1, ECO:0000269|PubMed:28662698}.

Molecular Weight: 113.6 kDa

UniProt: [P23249](#)

Pathways: [Fc-epsilon Receptor Signaling Pathway](#), [EGFR Signaling Pathway](#), [Neurotrophin Signaling Pathway](#), [SARS-CoV-2 Protein Interactome](#)

Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: The buffer composition is at the discretion of the manufacturer.
Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol **Might differ depending on protein.**

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: 12 months