

Datasheet for ABIN3133467

## Chromogranin A Protein (CHGA) (AA 19-463) (His tag)



[Go to Product page](#)

### Overview

Quantity:	1 mg
Target:	Chromogranin A (CHGA)
Protein Characteristics:	AA 19-463
Origin:	Mouse
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Purification tag / Conjugate:	This Chromogranin A protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB), ELISA, Crystallization (Crys)

### Product Details

Sequence:	<p>LPVNSPMTKG DTKVMKCVLE VISDSLKPS PMPVSPECLE TLQGDERILS ILRHQNLLKE</p> <p>LQDLALQGAK ERAQQPLKQQ QPPKQQQQQQ QQQQQEQQHS SFEDELSEVF ENQSPDAKHR</p> <p>DAAAQVPSRD TMEKRKDSKD GQQDGFEATT EGPRPQAFPE PNQESPMMDG SESPGETAT</p> <p>NTQSPTSLPS QEHVDPQATG DSERGLSAQQ QARKAKQEEK EEEEEEEAVA REKAGPEEVP</p> <p>TAASSSHFHA GYKAIQKDDG QSDSQAVDGD GKTEASEALP SEGKGELEHS QQEEDGEEAM</p> <p>VGTPQGLFPQ GKGRELEHK QEEEEEEER LSREWEDKRW SRMDQLAKEL TAEKRLEGED</p> <p>DPDRSMKLSF RTRAYGFRDP GPQLRRGWRP SSREDSVEAR SDFEEKKEEE GSANRRAEDQ</p> <p>ELESLSAIEA ELEKVAHQLQ ALRRG</p> <p><b>Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.</b></p>
Characteristics:	<ul style="list-style-type: none"> <li>Made in Germany - from design to production - by highly experienced protein experts.</li> <li>Mouse Chga Protein (raised in E. Coli) purified by multi-step, protein-specific process to</li> </ul>

ensure crystallization grade.

- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receipt of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the ExPASy's protparam tool to determine the absorption coefficient of each protein.

Purification:	Two step purification of proteins expressed in bacterial culture:  1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Sterility:	0.22 µm filtered
Endotoxin Level:	Endotoxin has not been removed. Please contact us if you require endotoxin removal.
Grade:	Crystallography grade

Target Details

Target:	Chromogranin A (CHGA)
Alternative Name:	Chga (CHGA Products)

## Target Details

Background:	Pancreastatin: Strongly inhibits glucose induced insulin release from the pancreas., Catestatin: Inhibits catecholamine release from chromaffin cells and noradrenergic neurons by acting as a non-competitive nicotinic cholinergic antagonist. Can induce mast cell migration, degranulation and production of cytokines and chemokines. {ECO:0000250 UniProtKB:P10645}., Serpinin: Regulates granule biogenesis in endocrine cells by up-regulating the transcription of protease nexin 1 (SERPINE2) via a cAMP-PKA-SP1 pathway. This leads to inhibition of granule protein degradation in the Golgi complex which in turn promotes granule formation (PubMed:21436258). Pyroglutaminated (pGlu)-serpinin exerts an antiapoptotic effect on cells exposed to oxidative stress (PubMed:21537909). {ECO:0000269 PubMed:21436258, ECO:0000269 PubMed:21537909}.
Molecular Weight:	50.9 kDa Including tag.
UniProt:	<a href="#">P26339</a>
Pathways:	<a href="#">Negative Regulation of Hormone Secretion</a> , <a href="#">cAMP Metabolic Process</a> , <a href="#">Regulation of G-Protein Coupled Receptor Protein Signaling</a>

## Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.

## Handling

---

Expiry Date: Unlimited (if stored properly)