antibodies .- online.com





IFNAR1 Protein (AA 27-590) (rho-1D4 tag)



Image



Go to Product page

Overview

Quantity:	1 mg
Target:	IFNAR1
Protein Characteristics:	AA 27-590
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This IFNAR1 protein is labelled with rho-1D4 tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB), ELISA, Crystallization (Crys)

Product Details

Sequence:

ENLKPPENID VYIIDDNYTL KWSSHGESMG SVTFSAEYRT KDEAKWLKVP ECQHTTTTKC
EFSLLDTNVY IKTQFRVRAE EGNSTSSWNE VDPFIPFYTA HMSPPEVRLE AEDKAILVHI
SPPGQDGNMW ALEKPSFSYT IRIWQKSSSD KKTINSTYYV EKIPELLPET TYCLEVKAIH
PSLKKHSNYS TVQCISTTVA NKMPVPGNLQ VDAQGKSYVL KWDYIASADV LFRAQWLPGY
SKSSSGSRSD KWKPIPTCAN VQTTHCVFSQ DTVYTGTFFL HVQASEGNHT SFWSEEKFID
SQKHILPPPP VITVTAMSDT LLVYVNCQDS TCDGLNYEII FWENTSNTKI SMEKDGPEFT
LKNLQPLTVY CVQARVLFRA LLNKTSNFSE KLCEKTRPGS FSTIWIITGL GVVFFSVMVL
YALRSVWKYL CHVCFPPLKP PRSIDEFFSE PPSKNLVLLT AEEHTERCFI IENTDTVAVE
VKHAPEEDLR KYSSQTSQDS GNYSNEEEES VGTESGQAVL SKAPCGGPCS VPSPPGTLED
GTCFLGNEKY LQSPALRTEP ALLC

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Mouse Ifnar1 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Three step purification of membrane proteins expressed in baculovirus infected SF9 insect cells:

- 1. Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot.
- 2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.
- 3. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot.

 Purity:
 >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

 Sterility:
 0.22 μm filtered

 Endotoxin Level:
 Protein is endotoxin-free.

 Grade:
 Crystallography grade

Target Details

Target:	IFNAR1
Alternative Name:	Ifnar1 (IFNAR1 Products)
Background:	Component of the receptor for type I interferons, including interferons alpha, IFNB1 and IFNW1
	(PubMed:1533935, PubMed:14532120, PubMed:23872679). Functions in general as
	heterodimer with IFNAR2 (By similarity). Type I interferon binding activates the JAK-STAT
	signaling cascade, and triggers tyrosine phosphorylation of a number of proteins including
	JAKs, TYK2, STAT proteins and the IFNR alpha- and beta-subunits themselves
	(PubMed:14532120). Can form an active IFNB1 receptor by itself and activate a signaling
	cascade that does not involve activation of the JAK-STAT pathway (PubMed:23872679).
	Contributes to modulate the innate immune response to bacterial lipopolysaccharide
	(PubMed:23872679). {ECO:0000250 UniProtKB:P17181, ECO:0000269 PubMed:14532120,
	ECO:0000269 PubMed:1533935, ECO:0000269 PubMed:23872679,
	ECO:0000269 PubMed:24075985}.
Molecular Weight:	64.6 kDa Including tag.
UniProt:	P33896
Pathways:	JAK-STAT Signaling, Hepatitis C
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee
	though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the
	recombinant protein with the default tag will be insoluble our protein lab may suggest a higher
	molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible
	options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Buffer:	100 mm rudez, 20 mm riepes, 10 % gryoeron pri rudae to at the diosection of the manufacturer.

Handling

Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Images




Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process