antibodies -online.com





GRIK2 Protein (AA 32-561) (His tag)



Go to Product pag

Overview

Quantity:	1 mg
Target:	GRIK2
Protein Characteristics:	AA 32-561
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This GRIK2 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys)

Product Details

Sequence:

TTHVLRFGGI FEYVESGPMG AEELAFRFAV NTINRNRTLL PNTTLTYDTQ KINLYDSFEA
SKKACDQLSL GVAAIFGPSH SSSANAVQSI CNALGVPHIQ TRWKHQVSDN KDSFYVSLYP
DFSSLSRAIL DLVQFFKWKT VTVVYDDSTG LIRLQELIKA PSRYNLRLKI RQLPADTKDA
KPLLKEMKRG KEFHVIFDCS HEMAAGILKQ ALAMGMMTEY YHYIFTTLDL FALDVEPYRY
SGVNMTGFRI LNTENTQVSS IIEKWSMERL QAPPKPDSGL LDGFMTTDAA LMYDAVHVVS
VAVQQFPQMT VSSLQCNRHK PWRFGTRFMS LIKEAHWEGL TGRITFNKTN GLRTDFDLDV
ISLKEEGLEK IGTWDPSSGL NMTESQKGKP ANITDSLSNR SLIVTTILEE PYVLFKKSDK
PLYGNDRFEG YCIDLLRELS TILGFTYEIR LVEDGKYGAQ DDVNGQWNGM VRELIDHKAD
LAVAPLAITY VREKVIDFSK PFMTLGISIL YRKPNGTNPG VFSFLNPLSP

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Mouse Grik2 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity: >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility: 0.22 µm filtered

Endotoxin Level: Protein is endotoxin free.

Grade: Crystallography grade

Target Details

synapses in the central nervous system. Binding of the excitatory neurotransmitter L-glutar induces a conformation change, leading to the opening of the cation channel, and thereby converts the chemical signal to an electrical impulse. The receptor then desensitizes rapidl and enters a transient inactive state, characterized by the presence of bound agonist. May involved in the transmission of light information from the retina to the hypothalamus. Modulates cell surface expression of NETO2. {ECO:0000269 PubMed:19217376}. Molecular Weight: 60.8 kDa Including tag. UniProt: P39087 Pathways: Synaptic Membrane, Regulation of long-term Neuronal Synaptic Plasticity Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional studies well. As the protein has not been tested for functional studies yet we cannot offer a gurathough. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a hig molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possit options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Format: Liquid	Target:	GRIK2
synapses in the central nervous system. Binding of the excitatory neurotransmitter Legiutar induces a conformation change, leading to the opening of the cation channel, and thereby converts the chemical signal to an electrical impulse. The receptor then desensitizes rapidl and enters a transient inactive state, characterized by the presence of bound agonist. May involved in the transmission of light information from the retina to the hypothalamus. Modulates cell surface expression of NETO2. (ECO.0000269)PubMed:19217376). Molecular Weight: 60.8 kDa Including tag. UniProt: P39087 Pathways: Synaptic Membrane, Regulation of long-term Neuronal Synaptic Plasticity Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional stur as well. As the protein has not been tested for functional studies yet we cannot offer a gurathough. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a hig molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possit options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol, pH value is at the discretion of the manufactur Handling Advice: Avoid repeated freeze thaw cycles. Storage: -80 °C Storage Comment: Store at -80°C.	Alternative Name:	Grik2 (GRIK2 Products)
UniProt: P39087 Pathways: Synaptic Membrane, Regulation of long-term Neuronal Synaptic Plasticity Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurathough. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a hig molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possit options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufactur. Handling Advice: Avoid repeated freeze-thaw cycles. Storage: -80 °C Storage Comment: Store at -80°C.	Background:	converts the chemical signal to an electrical impulse. The receptor then desensitizes rapidly and enters a transient inactive state, characterized by the presence of bound agonist. May be involved in the transmission of light information from the retina to the hypothalamus.
Pathways: Synaptic Membrane, Regulation of long-term Neuronal Synaptic Plasticity Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional studies well. As the protein has not been tested for functional studies yet we cannot offer a gurathough. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a hig molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possitions with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufactur. Handling Advice: Avoid repeated freeze-thaw cycles. Storage: -80 °C Storage Comment: Store at -80°C.	Molecular Weight:	60.8 kDa Including tag.
Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurathough. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a hig molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possition options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacture than ding Advice: Avoid repeated freeze-thaw cycles. Storage: -80 °C Storage Comment: Store at -80°C.	UniProt:	P39087
Application Notes: In addition to the applications listed above we expect the protein to work for functional studies well. As the protein has not been tested for functional studies yet we cannot offer a gurathough. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a hig molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possitions with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufactur. Handling Advice: Avoid repeated freeze-thaw cycles. Storage: -80 °C Storage Comment: Store at -80°C.	Pathways:	Synaptic Membrane, Regulation of long-term Neuronal Synaptic Plasticity
as well. As the protein has not been tested for functional studies yet we cannot offer a gura though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a hig molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possit options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufactur. Handling Advice: Avoid repeated freeze-thaw cycles. Storage: -80 °C Storage Comment: Store at -80°C.	Application Details	
recombinant protein with the default tag will be insoluble our protein lab may suggest a hig molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacture Handling Advice: Avoid repeated freeze-thaw cycles. Storage: -80 °C Storage Comment: Store at -80°C.	Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacture Handling Advice: Avoid repeated freeze-thaw cycles. Storage: -80 °C Storage Comment: Store at -80 °C.	Comment:	recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible
Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacture Handling Advice: Avoid repeated freeze-thaw cycles. Storage: -80 °C Storage Comment: Store at -80°C.	Restrictions:	For Research Use only
Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacture. Handling Advice: Avoid repeated freeze-thaw cycles. Storage: -80 °C Storage Comment: Store at -80°C.	Handling	
Handling Advice: Avoid repeated freeze-thaw cycles. Storage: -80 °C Storage Comment: Store at -80 °C.	Format:	Liquid
Storage: -80 °C Storage Comment: Store at -80 °C.	Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Storage Comment: Store at -80°C.	Handling Advice:	Avoid repeated freeze-thaw cycles.
	Storage:	-80 °C
Expiry Date: Unlimited (if stored properly)	Storage Comment:	Store at -80°C.
	Expiry Date:	Unlimited (if stored properly)