
# antibodies -online.com





## HNF4A Protein (AA 1-474) (Strep Tag)



Go to Product pag

( )	11/	IN	/ie	A .
	/ // <del> </del>	۱ ات	/   (−	' \/\/

Quantity:	1 mg
Target:	HNF4A
Protein Characteristics:	AA 1-474
Origin:	Mouse
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This HNF4A protein is labelled with Strep Tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA

#### **Product Details**

Sequence:

MRLSKTLAGM DMADYSAALD PAYTTLEFEN VQVLTMGNDT SPSEGANLNS SNSLGVSALC
AICGDRATGK HYGASSCDGC KGFFRRSVRK NHMYSCRFSR QCVVDKDKRN QCRYCRLKKC
FRAGMKKEAV QNERDRISTR RSSYEDSSLP SINALLQAEV LSQQITSPIS GINGDIRAKK
IANITDVCES MKEQLLVLVE WAKYIPAFCE LLLDDQVALL RAHAGEHLLL GATKRSMVFK
DVLLLGNDYI VPRHCPELAE MSRVSIRILD ELVLPFQELQ IDDNEYACLK AIIFFDPDAK
GLSDPGKIKR LRSQVQVSLE DYINDRQYDS RGRFGELLLL LPTLQSITWQ MIEQIQFIKL
FGMAKIDNLL QEMLLGGSAS DAPHTHHPLH PHLMQEHMGT NVIVANTMPS HLSNGQMCEW
PRPRGQAATP ETPQPSPPSG SGSESYKLLP GAITTIVKPP SAIPQPTITK QEAI

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- · Made in Germany from design to production by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

#### Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
  protein production are removed, leaving only the protein production machinery and the
  mitochondria to drive the reaction. During our lysate completion steps, the additional
  components needed for protein production (amino acids, cofactors, etc.) are added to
  produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

#### Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

### Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

- 1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Product Details		
Purity:	≥ 80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.	
Endotoxin Level:	Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)	
Target Details		
Target:	HNF4A	
Alternative Name:	Hnf4a (HNF4A Products)	
Background:	Hepatocyte nuclear factor 4-alpha (HNF-4-alpha) (Nuclear receptor subfamily 2 group A member 1) (Transcription factor 14) (TCF-14) (Transcription factor HNF-4),FUNCTION: Transcriptional regulator which controls the expression of hepatic genes during the transition of endodermal cells to hepatic progenitor cells, facilitatating the recruitment of RNA pol II to the promoters of target genes (By similarity). Activates the transcription of CYP2C38 (PubMed:30555544). Represses the CLOCK-BMAL1 transcriptional activity and is essential for circadian rhythm maintenance and period regulation in the liver and colon cells (PubMed:30530698). {ECO:0000250 UniProtKB:P41235, ECO:0000269 PubMed:30530698, ECO:0000269 PubMed:30555544}.	
Molecular Weight:	52.7 kDa	
UniProt:	P49698	
Pathways:	AMPK Signaling, Nuclear Receptor Transcription Pathway, Steroid Hormone Mediated Signaline Pathway, Carbohydrate Homeostasis, Cell-Cell Junction Organization, Regulation of Carbohydrate Metabolic Process	
Application Details		
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.	
Comment:	ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.  During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the	

mitochondria to drive the reaction. During our lysate completion steps, the additional

## **Application Details**

	components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C.	
Expiry Date:	Unlimited (if stored properly)	