

Datasheet for ABIN3134295

NKX2-1 Protein (AA 1-372) (Strep Tag)



Overview

Quantity:	250 μg
Target:	NKX2-1
Protein Characteristics:	AA 1-372
Origin:	Mouse
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This NKX2-1 protein is labelled with Strep Tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA

Brand:	AliCE®
Sequence:	MSMSPKHTTP FSVSDILSPL EESYKKVGME GGGLGAPLAA YRQGQAAPPA AAMQQHAVGH
	HGAVTAAYHM TAAGVPQLSH SAVGGYCNGN LGNMSELPPY QDTMRNSASG PGWYGANPDP
	RFPAISRFMG PASGMNMSGM GGLGSLGDVS KNMAPLPSAP RRKRRVLFSQ AQVYELERRF
	KQQKYLSAPE REHLASMIHL TPTQVKIWFQ NHRYKMKRQA KDKAAQQQLQ QDSGGGGGG
	GGAGCPQQQQ AQQQSPRRVA VPVLVKDGKP CQAGAPAPGA ASLQSHAQQQ AQQQAQAAQA
	AAAAISVGSG GAGLGAHPGH QPGSAGQSPD LAHHAASPAG LQGQVSSLSH LNSSGSDYGA
	MSCSTLLYGR TW
	Sequence without tag. The proposed Strep-Tag is based on experience s with the expression
	system, a different complexity of the protein could make another tag necessary. In case you
	have a special request, please contact us.

- Made in Germany from design to production by highly experienced protein experts.
- · Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- · State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- · We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Grade:	custom-made
Target Details	
Target:	NKX2-1

Target Details

Alternative Name:	Nkx2-1 (NKX2-1 Products)
Background:	Homeobox protein Nkx-2.1 (Thyroid nuclear factor 1) (Thyroid transcription factor 1) (TTF-1)
	(Thyroid-specific enhancer-binding protein) (T/EBP),FUNCTION: Transcription factor that binds
	and activates the promoter of thyroid specific genes such as thyroglobulin, thyroperoxidase,
	and thyrotropin receptor. Crucial in the maintenance of the thyroid differentiation phenotype.
	May play a role in lung development and surfactant homeostasis. Forms a regulatory loop with
	GRHL2 that coordinates lung epithelial cell morphogenesis and differentiation
	(PubMed:22955271). Activates the transcription of GNRHR and plays a role in enhancing the
	circadian oscillation of its gene expression. Represses the transcription of the circadian
	transcriptional repressor NR1D1 (PubMed:22356123). {ECO:0000250 UniProtKB:P23441,
	ECO:0000269 PubMed:22356123, ECO:0000269 PubMed:22955271}.
Molecular Weight:	38.6 kDa
UniProt:	P50220
Pathways:	Intracellular Steroid Hormone Receptor Signaling Pathway, Regulation of Systemic Arterial
	Blood Pressure by Hormones, Cellular Glucan Metabolic Process, Feeding Behaviour
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a
	guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce
	even the most difficult-to-express proteins, including those that require post-translational
	even the most difficult-to-express proteins, including those that require post-translational
	even the most difficult-to-express proteins, including those that require post-translational modifications.
	even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required for
	even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional
	even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the
	even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months