

Datasheet for ABIN3134402

SLC1A1 Protein (AA 1-523) (Strep Tag)[Go to Product page](#)

Overview

Quantity:	1 mg
Target:	SLC1A1
Protein Characteristics:	AA 1-523
Origin:	Mouse
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This SLC1A1 protein is labelled with Strep Tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA

Product Details

Sequence: MGKPTSSGCD WRRFLRNHWL LLSTVAAVVL GIVLGVVVRG HSELSNLDKF YFAFPGEILM
RMLKLVLPL IVSSMITGVA ALDSNVSGKI GLRAVVYFS TTIVAVILGI VLVVSIKPGV
TQKVNDINRT GKTPEVSTMD AMLDLIRNMF PENLVQACFQ QYKTKREEVK PVGDPGGNAT
EVSVTTAMTT MSENKTKEYK IVGLYSDGIN VLGLIIFCLV FGLVIGKMGE KGQILVDFFN
ALSDATMKIV QIIMCYMPIG ILFLIAGKII EVEDWEIFRK LGLYMATVLS GLAIHSLIVL PLYFIVVRK
NPFRFALGMA QALLTALMIS SSSATLPVTF RCAEEKNQVD KRITRFVLPV GATINMDGTA
LYEAVAAVFI AQLNGLDLSI GQIVTISITA TAASIGAAGV PQAGLVTMVI VLSAVGLPAE
DVTLIIAVDW LLDRFRTMVN VLGDAFGTGI VEKLSKKELE QMDVSSEVNI VNPFALEPTT
LDNEDSDTKK SYVNGGFAVD KSDTISFTQT SQF

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the ExPASy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.
2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and

Product Details

Western blot.

Purity:	≥ 80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Endotoxin Level:	Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)

Target Details

Target:	SLC1A1
Alternative Name:	Slc1a1 (SLC1A1 Products)
Background:	<p>Excitatory amino acid transporter 3 (Excitatory amino-acid carrier 1) (Sodium-dependent glutamate/aspartate transporter 3) (Solute carrier family 1 member 1),FUNCTION: Sodium-dependent, high-affinity amino acid transporter that mediates the uptake of L-glutamate and also L-aspartate and D-aspartate (PubMed:12119102, PubMed:18684713). Can also transport L-cysteine (PubMed:30840898). Functions as a symporter that transports one amino acid molecule together with two or three Na(+) ions and one proton, in parallel with the counter-transport of one K(+) ion. Mediates Cl(-) flux that is not coupled to amino acid transport, this avoids the accumulation of negative charges due to aspartate and Na(+) symport (By similarity). Plays an important role in L-glutamate and L-aspartate reabsorption in renal tubuli (PubMed:9233792). Plays a redundant role in the rapid removal of released glutamate from the synaptic cleft, which is essential for terminating the postsynaptic action of glutamate (PubMed:9233792). Contributes to glutathione biosynthesis and protection against oxidative stress via its role in L-glutamate and L-cysteine transport (PubMed:30840898). Negatively regulated by ARL6IP5 (PubMed:12119102). {ECO:0000250 UniProtKB:P43005, ECO:0000269 PubMed:12119102, ECO:0000269 PubMed:18684713, ECO:0000269 PubMed:30840898, ECO:0000269 PubMed:9233792}.</p>
Molecular Weight:	56.7 kDa
UniProt:	P51906
Pathways:	Dicarboxylic Acid Transport

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from

Application Details

Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions: For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)