# antibodies -online.com





## KCNJ4 Protein (AA 170-445) (His tag)



#### Image



Go to Product page

_						
( )	V	ρ	rv	16	$\supset I$	Λ

)
)
)
)
)
abelled with His tag.
g (WB), Crystallization (Crys), SDS-PAGE (SDS)
FSHH AVISVRDGKL CLMWRVGNLR KSHIVEAHVR AQLIKPYMTQ
DIGL DRIFLVSPII IVHEIDEDSP LYGMGKEELE SEDFEIVVIL
SYLAS EILWGHRFEP VVFEEKSHYK VDYSRFHKTY EVAGTPCCSA
PPSA FCYENELALM SQEEEEMEEE AAAAAAVAAG LGLEAGSKEE
RMQA ATLPLDNISY RRESRI
Tag location is at the discretion of the manufacturer. If you have a
e contact us.
rom design to production - by highly experienced protein experts.
n (raised in E. Coli) purified by multi-step, protein-specific process to
n grade.
rithm used for plasmid design (Gene synthesis).
to order protein and will be made for the first time for your order. Our

experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

#### Purification:

Two step purification of proteins expressed in bacterial culture:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 um filtered

Endotoxin Level:

Endotoxin has not been removed. Please contact us if you require endotoxin removal.

Grade:

Crystallography grade

#### **Target Details**

Target:	KCNJ4
Alternative Name:	Kenj4 (KCNJ4 Products)
Background:	Inward rectifier potassium channels are characterized by a greater tendency to allow
	potassium to flow into the cell rather than out of it. Their voltage dependence is regulated by

#### **Target Details**


	the concentration of extracellular potassium, as external potassium is raised, the voltage range of the channel opening shifts to more positive voltages. The inward rectification is mainly due to the blockage of outward current by internal magnesium. Can be blocked by extracellular barium and cesium (By similarity). {ECO:0000250}.
Molecular Weight:	32.1 kDa Including tag.
UniProt:	P52189

### **Application Details**

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee
	though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the
	recombinant protein with the default tag will be insoluble our protein lab may suggest a higher
	molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible
	options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only

#### Handling

Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)



**Image 1.** "Crystallography Grade" protein due to multi-step, protein-specific purification process