antibodies

Datasheet for ABIN3134443 Ephrin A2 Protein (EFNA2) (AA 21-184) (His tag)



Overview

Quantity:	1 mg
Target:	Ephrin A2 (EFNA2)
Protein Characteristics:	AA 21-184
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Ephrin A2 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys)
Product Details	
Sequence:	RNEDPARANA DRYAVYWNRS NPRFQVSAVG DGGGYTVEVS INDYLDIYCP HYGAPLPPAE
	RMERYILYMV NGEGHASCDH RQRGFKRWEC NRPAAPGGPL KFSEKFQLFT PFSLGFEFRP
	GHEYYYISAT PPNLVDRPCL RLKVYVRPTN ETLYEAPEPI FTSN
	Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a
	special request, please contact us.
Characteristics:	 Made in Germany - from design to production - by highly experienced protein experts. Mouse Efna2 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
	• State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made to order protein and will be made for the first time for your order. Our
	experts in the lab will ensure that you receive a correctly folded protein.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN3134443 | 05/01/2024 | Copyright antibodies-online. All rights reserved.

	made proteins from other companies is that there is no financial obligation in case the protein
	cannot be expressed or purified.
	In the unlikely event that the protein cannot be expressed or purified we do not charge anything
	(other companies might charge you for any performed steps in the expression process for
	custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression
	experiments or purification optimization).
	When you order this made-to-order protein you will only pay upon receival of the correctly
	folded protein. With no financial risk on your end you can rest assured that our experienced
	protein experts will do everything to make sure that you receive the protein you ordered.
	The concentration of our recombinant proteins is measured using the absorbance at 280nm.
	The protein's absorbance will be measured in several dilutions and is measured against its
	specific reference buffer.
	The concentration of the protein is calculated using its specific absorption coefficient. We use
	the Expasy's protparam tool to determine the absorption coefficient of each protein.
Purification:	Two step purification of proteins expressed in baculovirus infected SF9 insect cells:
	 In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
	 Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Sterility:	0.22 µm filtered
Endotoxin Level:	Protein is endotoxin free.
Grade:	Crystallography grade
Target Details	
Target:	Ephrin A2 (EFNA2)
Alternative Name:	Efna2 (EFNA2 Products)
Background:	Cell surface GPI-bound ligand for Eph receptors, a family of receptor tyrosine kinases which are
	crucial for migration, repulsion and adhesion during neuronal, vascular and epithelial
	development. Binds promiscuously Eph receptors residing on adjacent cells, leading to contact

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN3134443 | 05/01/2024 | Copyright antibodies-online. All rights reserved.

	the receptor is referred to as forward signaling while the signaling pathway downstream of the
	ephrin ligand is referred to as reverse signaling. With the EPHA2 receptor may play a role in
	bone remodeling through regulation of osteoclastogenesis and osteoblastogenesis.
	{EC0:0000269 PubMed:19299512, EC0:0000269 PubMed:9053851}.
Molecular Weight:	19.8 kDa Including tag.
UniProt:	P52801
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee
	though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the
	recombinant protein with the default tag will be insoluble our protein lab may suggest a higher
	molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible
	options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)