antibodies .- online.com





PMS2 Protein (AA 1-859) (His tag)



Image



Go to Product page

Overview

Quantity:	1 mg
Target:	PMS2
Protein Characteristics:	AA 1-859
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This PMS2 protein is labelled with His tag.
Application:	Western Blotting (WB), ELISA, Crystallization (Crys), SDS-PAGE (SDS)

Product Details

Sequence:

MEQTEGVSTE CAKAIKPIDG KSVHQICSGQ VILSLSTAVK ELIENSVDAG ATTIDLRLKD YGVDLIEVSD NGCGVEEENF EGLALKHHTS KIQEFADLTQ VETFGFRGEA LSSLCALSDV TISTCHGSAS VGTRLVFDHN GKITQKTPYP RPKGTTVSVQ HLFYTLPVRY KEFQRNIKKE YSKMVQVLQA YCIISAGVRV SCTNQLGQGK RHAVVCTSGT SGMKENIGSV FGQKQLQSLI PFVQLPPSDA VCEEYGLSTS GRHKTFSTFR ASFHSARTAP GGVQQTGSFS SSIRGPVTQQ RSLSLSMRFY HMYNRHQYPF VVLNVSVDSE CVDINVTPDK RQILLQEEKL LLAVLKTSLI GMFDSDANKL NVNQQPLLDV EGNLVKLHTA ELEKPVPGKQ DNSPSLKSTA DEKRVASISR LREAFSLHPT KEIKSRGPET AELTRSFPSE KRGVLSSYPS DVISYRGLRG SQDKLVSPTD SPGDCMDREK IEKDSGLSST SAGSEEEFST PEVASSFSSD YNVSSLEDRP SQETINCGDL DCRPPGTGQS LKPEDHGYQC KALPLARLSP TNAKRFKTEE RPSNVNISQR LPGPQSTSAA EVDVAIKMNK RIVLLEFSLS SLAKRMKQLQ HLKAQNKHEL SYRKFRAKIC PGENQAAEDE LRKEISKSMF AEMEILGQFN LGFIVTKLKE DLFLVDQHAA DEKYNFEMLQ QHTVLQAQRL

ITPQTLNLTA VNEAVLIENL EIFRKNGFDF VIDEDAPVTE RAKLISLPTS KNWTFGPQDI
DELIFMLSDS PGVMCRPSRV RQMFASRACR KSVMIGTALN ASEMKKLITH MGEMDHPWNC
PHGRPTMRHV ANLDVISON

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Mouse Pms2 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Product Details Protein is endotoxin free. Endotoxin Level: Grade: Crystallography grade Target Details PMS2 Target: Pms2 (PMS2 Products) Alternative Name: Background: Component of the post-replicative DNA mismatch repair system (MMR). Heterodimerizes with MLH1 to form MutL alpha. DNA repair is initiated by MutS alpha (MSH2-MSH6) or MutS beta (MSH2-MSH6) binding to a dsDNA mismatch, then MutL alpha is recruited to the heteroduplex. Assembly of the MutL-MutS-heteroduplex ternary complex in presence of RFC and PCNA is sufficient to activate endonuclease activity of PMS2. It introduces single-strand breaks near the mismatch and thus generates new entry points for the exonuclease EXO1 to degrade the strand containing the mismatch. DNA methylation would prevent cleavage and therefore assure that only the newly mutated DNA strand is going to be corrected. MutL alpha (MLH1-PMS2) interacts physically with the clamp loader subunits of DNA polymerase III, suggesting that it may play a role to recruit the DNA polymerase III to the site of the MMR. Also implicated in DNA damage signaling, a process which induces cell cycle arrest and can lead to apoptosis in case of major DNA damages. {ECO:0000250|UniProtKB:P54278}. Molecular Weight: 96.2 kDa Including tag. UniProt: P54279 Pathways: DNA Damage Repair, Production of Molecular Mediator of Immune Response **Application Details** Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher

For Research Use only

Restrictions:

molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible

options with you in detail to assure that you receive your protein of interest.

Handling

Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Images




Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process