antibodies .- online.com





Cadherin 5 Protein (CDH5) (AA 46-599) (His tag)



Image



Go to Product page

Overview

Quantity:	1 mg
Target:	Cadherin 5 (CDH5)
Protein Characteristics:	AA 46-599
Origin:	Mouse
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Purification tag / Conjugate:	This Cadherin 5 protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB), ELISA, Crystallization (Crys)

Product Details

Sequence:

DWIWNQMHID EEKNESLPHY VGKIKSNVNR QNAKYVLQGE FAGKIFGVDA NTGNVLAYER LDREKVSEYF LTALIVDKNT NKNLEQPSSF TVKVHDINDN WPVFSHQVFN ASVPEMSAIG TSVIRVTAVD ADDPTVAGHA TVLYQIVKGN EYFSIDNSGL IFTKIKNLDR EKQAEYKIVV ETQDALGLRG ESGTATVMIR LEDINDNFPV FTQSTYTFSV PEDIRVGKPL GFLTVVDPDE PQNRMTKYSI MQGEYRDTFT IETDPKRNEG IIKPTKSLDY EVIQQYTFYI EATDPTIRYE YLSSTSGKNK AMVTINVLDV DEPPVFQRHF YHFKLPENQK KPLIGTVVAK DPDKAQRSIG YSIRKTSDRG QFFRITKQGN IYNEKELDRE TYAWYNLTVE ANELDSRGNP VGKESIVQVY IEVLDENDNP PEFAQPYEPK VCENAAQGKL VVQISATDKD VVPVNPKFKF ALKNEDSNFT LINNHDNTAN ITVKYGQFNR EHAKFHYLPV LISDNGVPSL TGTSTLTVGV CKCNEQGEFT FCEEMAAQAG VSIQ

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Mouse Cdh5 Protein (raised in E. Coli) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in bacterial culture:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity: >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility: 0.22 µm filtered

Endotoxin Level: Endotoxin has not been removed. Please contact us if you require endotoxin removal.

Grade: Crystallography grade

Target Details

Target:	Cadherin 5 (CDH5)
Alternative Name:	Cdh5 (CDH5 Products)
Background:	Cadherins are calcium-dependent cell adhesion proteins. They preferentially interact with themselves in a homophilic manner in connecting cells, cadherins may thus contribute to the sorting of heterogeneous cell types. This cadherin may play an important role in endothelial cell biology through control of the cohesion and organization of the intercellular junctions. Acts in concert with KRIT1 to establish and maintain correct endothelial cell polarity and vascular lumen. These effects are mediated by recruitment and activation of the Par polarity complex and RAP1B. Required for activation of PRKCZ and for localization of phosphorylated PRKCZ, PARD3, TIAM1 and RAP1B to the cell junction. {ECO:0000269 PubMed:20332120, ECO:0000269 PubMed:9220534}.
Molecular Weight:	63.7 kDa Including tag.
UniProt:	P55284
Pathways:	Cell-Cell Junction Organization, Signaling Events mediated by VEGFR1 and VEGFR2
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.

Expiry Date:

Unlimited (if stored properly)

Images



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process