

Datasheet for ABIN3134649 NCOA1 Protein (AA 2-1447) (His tag)



Overview

Quantity:	1 mg
Target:	NCOA1
Protein Characteristics:	AA 2-1447
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This NCOA1 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys)

Product Details

Sequence:	SGLGDSSSDP ANPDSHKRKG SPCDTLASST EKRRREQENK YLEELAELLS ANISDIDSLS
	VKPDKCKILK KTVDQIQLMK RMEQEKSTTD DDVQKSDISS SSQGVIEKES LGPLLLEALD
	GFFFVVNCEG RIVFVSENVT SYLGYNQEEL MNTSVYSILH VGDHAEFVKN LLPKSLVNGV
	PWPQEATRRN SHTFNCRMLI HPPEDPGTEN QEACQRYEVM QCFTVSQPKS IQEDGEDFQS
	CLICIARRLP RPPAITGVES FMTKQDTTGK IISIDTSSLR AAGRTGWEDL VRKCIYAFFQ
	PQGREPSYAR QLFQEVMTRG TASSPSYRFI LNDGTMLSAH TKCKLCYPQS PDMQPFIMGI
	HIIDREHSGL SPQDDSNSGM SIPRINPSVN PGISPAHGVT RSSTLPPSNN NMVSARVNRQ
	QSSDLNSSSS HTNSSNNQGN FGCSPGNQIV ANVALNQGQA GSQSSNPSLN LNNSPMEGTG
	IALSQFMSPR RQANSGLATR ARMSNNSFPP NIPTLSSPVG ITSGACNNNN RSYSNIPVTS
	LQGMNEGPNN SVGFSAGSPV LRQMSSQNSP SRLSMQPAKA ESKDSKEIAS ILNEMIQSDN
	SDNSANEGKP LDSGLLHNND RLSEGDSKYS QTSHKLVQLL TTTAEQQLRH ADIDTSCKDV
	LSCTGTSSSA SSNPSGGTCP SSHSSLTERH KILHRLLQEG SPSDITTLSV EPEKKDSVPA

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/4 | Product datasheet for ABIN3134649 | 08/02/2024 | Copyright antibodies-online. All rights reserved. STAVSVSGQS QGSASIKLEL DAAKKKESKD HQLLRYLLDK DEKDLRSTPN LCLDDVKVKV EKKEQMDPCN TNPTPMTKPA PEEVKLESQS QFTADLDQFD QLLPTLEKAA QLPSLCETDR MDGAVTGVSI KAEVLPASLQ PTTARAAPRL SRLPELELEA IDNQFGQPGA GDQIPWANNT LTTINQNKPE DQCISSQLDE LLCPPTTVEG RNDEKALLEQ LVSFLSGKDE TELAELDRAL GIDKLVQGGG LDVLSERFPP QQATPPLMME DRPTLYSQPY SSPSPTAGLS GPFQGMVRQK PSLGAMPVQV TPPRGTFSPN MGMQPRQTLN RPPAAPNQLR LQLQQRLQGQ QQLMHQNRQA ILNQFAANAP VGMNMRSGMQ QQITPQPPLN AQMLAQRQRE LYSQQHRQRQ IIQQQRAMLM RHQSFGNNIP PSSGLPVQMG TPRLPQGAPQ QFPYPPNYGT NPGTPPASTS PFSQLAANPE ASLATRSSMV NRGMAGNMGG QFGAGISPQM QQNVFQYPGP GLVPQGEATF APSLSPGSSM VPMPVPPPQS SLLQQTPPTS GYQSPDMKAW QQGTMGNNNV FSQAVQSQPA PAQPGVYNNM SITVSMAGGN ANIQNMNPMM GQMQMSSLQM PGMNTVCSEQ MNDPALRHTG LYCNQLSSTD LLKTDADGNQ QVQQVQFAD VQCTVNLVGG DPYLNQPGPL GTQKPTSGPQ TPQAQQKSLL QQLLTE

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Mouse Ncoa1 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein. The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/4 | Product datasheet for ABIN3134649 | 08/02/2024 | Copyright antibodies-online. All rights reserved.

Product Details

	the Expasy's protparam tool to determine the absorption coefficient of each protein.
Purification:	Two step purification of proteins expressed in baculovirus infected SF9 insect cells:
	1. In a first purification step, the protein is purified from the cleared cell lysate using three
	different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
	2. Protein containing fractions of the best purification are subjected to second purification step
	through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Sterility:	0.22 µm filtered
Endotoxin Level:	Protein is endotoxin free.
Grade:	Crystallography grade
Target Details	
Target:	NCOA1
Alternative Name:	Ncoa1 (NCOA1 Products)
Background:	Nuclear receptor coactivator that directly binds nuclear receptors and stimulates the
	transcriptional activities in a hormone-dependent fashion. Involved in the coactivation of

Background:	Nuclear receptor coactivator that directly binds nuclear receptors and stimulates the
	transcriptional activities in a hormone-dependent fashion. Involved in the coactivation of
	different nuclear receptors, such as for steroids (PGR, GR and ER), retinoids (RXRs), thyroid
	hormone (TRs) and prostanoids (PPARs). Also involved in coactivation mediated by STAT3,
	STAT5A, STAT5B and STAT6 transcription factors. Displays histone acetyltransferase activity
	toward H3 and H4, the relevance of such activity remains however unclear. Plays a central role
	in creating multisubunit coactivator complexes that act via remodeling of chromatin, and
	possibly acts by participating in both chromatin remodeling and recruitment of general
	transcription factors. Required with NCOA2 to control energy balance between white and brown
	adipose tissues. Required for mediating steroid hormone response. Isoform 2 has a higher
	thyroid hormone-dependent transactivation activity than isoform 1 and isoform 3.
	{EC0:0000269 PubMed:12507421, EC0:0000269 PubMed:16148126,
	ECO:0000269 PubMed:8616895, ECO:0000269 PubMed:9506940}.
Molecular Weight:	157.8 kDa Including tag.
UniProt:	P70365
Pathways:	Intracellular Steroid Hormone Receptor Signaling Pathway, Nuclear Hormone Receptor Binding,

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/4 | Product datasheet for ABIN3134649 | 08/02/2024 | Copyright antibodies-online. All rights reserved.

Chromatin Binding, Regulation of Lipid Metabolism by PPARalpha

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)