antibodies .- online.com





Go to Product page

Datasheet for ABIN3134660

elF4EBP2 Protein (AA 1-120) (Strep Tag)

Overview

Quantity:	1 mg
Target:	elF4EBP2 (ElF4EBP2)
Protein Characteristics:	AA 1-120
Origin:	Mouse
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This eIF4EBP2 protein is labelled with Strep Tag.
Application:	SDS-PAGE (SDS), ELISA, Western Blotting (WB)

Product Details

Sequence:

MSASAGGSHQ PSQSRAIPTR TVAISDAAQL PQDYCTTPGG TLFSTTPGGT RIIYDRKFLL DRRNSPMAQT PPCHLPNIPG VTSPGALIED SKVEVNNLNN LNNHDRKHAV GDEAQFEMDI

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

Target:

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

eIF4EBP2 (EIF4EBP2)

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:	Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):
	 In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	≥ 80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Endotoxin Level:	Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)
Target Details	

Target Details

Alternative Name:	Eif4ebp2 (EIF4EBP2 Products)
Background:	Eukaryotic translation initiation factor 4E-binding protein 2 (4E-BP2) (eIF4E-binding protein 2)
	(Phosphorylated heat- and acid-stable protein regulated by insulin 2) (PHAS-II),FUNCTION:
	Repressor of translation initiation involved in synaptic plasticity, learning and memory
	formation (PubMed:16237163, PubMed:17029989). Regulates EIF4E activity by preventing its
	assembly into the eIF4F complex: hypophosphorylated form of EIF4EBP2 competes with
	EIF4G1/EIF4G3 and strongly binds to EIF4E, leading to repress translation. In contrast,
	hyperphosphorylated form dissociates from EIF4E, allowing interaction between
	EIF4G1/EIF4G3 and EIF4E, leading to initiation of translation (PubMed:17029989,
	PubMed:20347422, PubMed:23172145). EIF4EBP2 is enriched in brain and acts as a regulator
	of synapse activity and neuronal stem cell renewal via its ability to repress translation initiation
	(PubMed:20347422, PubMed:24139800, PubMed:23172145). Mediates the regulation of protein
	translation by hormones, growth factors and other stimuli that signal through the MAP kinase
	and mTORC1 pathways (PubMed:8939971). {ECO:0000250 UniProtKB:Q13542,
	ECO:0000269 PubMed:16237163, ECO:0000269 PubMed:17029989,
	ECO:0000269 PubMed:20347422, ECO:0000269 PubMed:23172145,
	ECO:0000269 PubMed:24139800, ECO:0000269 PubMed:8939971}.
Molecular Weight:	12.9 kDa
UniProt:	P70445
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce
	even the most difficult-to-express proteins, including those that require post-translational
	modifications.
	During lysate production, the cell wall and other cellular components that are not required for
	protein production are removed, leaving only the protein production machinery and the
	mitochondria to drive the reaction. During our lysate completion steps, the additional
	components needed for protein production (amino acids, cofactors, etc.) are added to produce
	something that functions like a cell, but without the constraints of a living system - all that's

Application Details

Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)