

Datasheet for ABIN3134696 KCNQ1 Protein (AA 1-668) (Strep Tag)



Overview

Quantity:	250 µg
Target:	KCNQ1
Protein Characteristics:	AA 1-668
Origin:	Mouse
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This KCNQ1 protein is labelled with Strep Tag.
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB)

Product Details

Brand:	AliCE®
Sequence:	MDTASSPPSA ERKRAGWSRL LGARRGSAVV KKCPFSLELA EGGPEGSTVY APIAPTGAPG
	LAPPMSTPVS PAPAPADLGP RPRVSLDPRV SIYSARRPLL ARTHIQGRVY NFLERPTGWK
	CFVYHFTVFL IVLVCLIFSV LSTIEQYAAL ATGTLFWMEI VLVVFFGTEY VVRLWSAGCR
	SKYVGIWGRL RFARKPISII DLIVVVASMV VLCVGSKGQV FATSAIRGIR FLQILRMLHV
	DRQGGTWRLL GSVVFIHRQE LITTLYIGFL GLIFSSYFVY LAEKDAVNES GRIEFGSYAD
	ALWWGVVTVT TIGYGDKVPQ TWVGKTIASC FSVFAISFFA LPAGILGSGF ALKVQQKQRQ
	KHFNRQIPAA ASLIQTAWRC YAAENPDSAT WKIYVRKPAR SHTLLSPSPK PKKSVMVKKK
	KFKLDKDNGM SPGEKMFNVP HITYDPPEDR RPDHFSIDGY DSSVRKSPTL LEVSTPHFLR
	TNSFAEDLDL EGETLLTPIT HVSQLRDHHR ATIKVIRRMQ YFVAKKKFQQ ARKPYDVRDV
	IEQYSQGHLN LMVRIKELQR RLDQSIGKPS LFIPISEKSK DRGSNTIGAR LNRVEDKVTQ
	LDQRLVIITD MLHQLLSMQQ GGPTCNSRSQ VVASNEGGSI NPELFLPSNS LPTYEQLTVP

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/5 | Product datasheet for ABIN3134696 | 02/25/2025 | Copyright antibodies-online. All rights reserved.

QTGPDEGS Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us. Characteristics: Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/5 | Product datasheet for ABIN3134696 | 02/25/2025 | Copyright antibodies-online. All rights reserved.

Product Details

 Purity:
 > 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).

 Grade:
 custom-made

Target Details

Target:	KCNQ1
Alternative Name:	Kcnq1 (KCNQ1 Products)
Background:	Potassium voltage-gated channel subfamily KQT member 1 (IKs producing slow voltage-gated
	potassium channel subunit alpha KvLQT1) (KQT-like 1) (Voltage-gated potassium channel
	subunit Kv7.1),FUNCTION: Potassium channel that plays an important role in a number of
	tissues, including heart, inner ear, stomach and colon (By similarity) (PubMed:16314573,
	PubMed:11120752, PubMed:15004216). Associates with KCNE beta subunits that modulates
	current kinetics (By similarity) (PubMed:17597584, PubMed:15004216). Induces a voltage-
	dependent by rapidly activating and slowly deactivating potassium-selective outward current
	(By similarity) (PubMed:8900282). Promotes also a delayed voltage activated potassium
	current showing outward rectification characteristic (By similarity). During beta-adrenergic
	receptor stimulation participates in cardiac repolarization by associating with KCNE1 to form
	the I(Ks) cardiac potassium current that increases the amplitude and slows down the activation
	kinetics of outward potassium current I(Ks) (By similarity) (PubMed:15004216,
	PubMed:17597584). Muscarinic agonist oxotremorine-M strongly suppresses KCNQ1/KCNE1
	current (By similarity). When associated with KCNE3, forms the potassium channel that is
	important for cyclic AMP-stimulated intestinal secretion of chloride ions (By similarity). This
	interaction with KCNE3 is reduced by 17beta-estradiol, resulting in the reduction of currents (By
	similarity). During conditions of increased substrate load, maintains the driving force for
	proximal tubular and intestinal sodium ions absorption, gastric acid secretion, and cAMP-
	induced jejunal chloride ions secretion (PubMed:16314573). Allows the provision of potassium
	ions to the luminal membrane of the secretory canaliculus in the resting state as well as during
	stimulated acid secretion (PubMed:19491250). When associated with KCNE2, forms an
	heterooligomer complex leading to currents with an apparently instantaneous activation, a
	rapid deactivation process and a linear current-voltage relationship and decreases the
	amplitude of the outward current (By similarity). When associated with KCNE4, inhibits voltage-
	gated potassium channel activity (By similarity). When associated with KCNE5, this complex
	only conducts current upon strong and continued depolarization (By similarity). Also forms a
	heterotetramer with KCNQ5, has a voltage-gated potassium channel activity (By similarity).
	Binds with phosphatidylinositol 4,5-bisphosphate (By similarity). KCNQ1-KCNE2 channel

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/5 | Product datasheet for ABIN3134696 | 02/25/2025 | Copyright antibodies-online. All rights reserved.

	associates with Na(+)-coupled myo-inositol symporter in the apical membrane of choroid
	plexus epithelium and regulates the myo-inositol gradient between blood and cerebrospinal
	fluid with an impact on neuron excitability. {ECO:0000250 UniProtKB:P51787,
	EC0:0000250 UniProtKB:Q9Z0N7, EC0:0000269 PubMed:11120752,
	EC0:0000269 PubMed:15004216, EC0:0000269 PubMed:16314573,
	ECO:0000269 PubMed:17597584, ECO:0000269 PubMed:19491250,
	EC0:0000269 PubMed:24595108, EC0:0000269 PubMed:8900282}.
Molecular Weight:	74.5 kDa
UniProt:	P97414
Pathways:	Negative Regulation of Hormone Secretion, Sensory Perception of Sound
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a
	guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce
	even the most difficult-to-express proteins, including those that require post-translational
	modifications.
	During lysate production, the cell wall and other cellular components that are not required for
	protein production are removed, leaving only the protein production machinery and the
	mitochondria to drive the reaction. During our lysate completion steps, the additional
	components needed for protein production (amino acids, cofactors, etc.) are added to produce
	something that functions like a cell, but without the constraints of a living system - all that's
	needed is the DNA that codes for the desired protein!
Restrictions:	For Research Use only
Handling	
⁼ ormat:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
	Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein.
Handling Advice:	Avoid repeated freeze-thaw cycles.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 4/5 | Product datasheet for ABIN3134696 | 02/25/2025 | Copyright antibodies-online. All rights reserved.

Handling

Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months