# antibodies -online.com





# SLUG Protein (AA 1-269) (His tag)



# Image



( )	1/0	r\ /1	014	
( )	ve	I V I	-v	V

Quantity:	1 mg		
Target:	SLUG (SNAI2)		
Protein Characteristics:	AA 1-269		
Origin:	Mouse		
Source:	Insect Cells		
Protein Type:	Recombinant		
Purification tag / Conjugate:	This SLUG protein is labelled with His tag.		
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB), Crystallization (Crys)		
Product Details			
Sequence:	MPRSFLVKKH FNASKKPNYS ELDTHTVIIS PYLYESYPIP VIPKPEILTS GAYSPITVWT		
	SSAAPLHSPL PSGLSPLTGY SSSLGRVSPP PSSDTSSKDH SGSESPISDE EERLQPKLSD		
	PHAIEAEKFQ CNLCNKTYST FSGLAKHKQL HCDAQSRKSF SCKYCDKEYV SLGALKMHIR		
	THTLPCVCKI CGKAFSRPWL LQGHIRTHTG EKPFSCPHCN RAFADRSNLR AHLQTHSDVK		
	KYQCKNCSKT FSRMSLLHKH EESGCCVAH		
	Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a		
	special request, please contact us.		
Characteristics:	<ul> <li>Made in Germany - from design to production - by highly experienced protein experts.</li> <li>Mouse Snai2 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.</li> <li>State-of-the-art algorithm used for plasmid design (Gene synthesis).</li> </ul>		
	otate of the art algorithm doed for plasmid design (Gene synthesis).		

This protein is a made to order protein and will be made for the first time for your order. Our

experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

#### Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

 $0.22\,\mu m$  filtered

Endotoxin Level:

Protein is endotoxin free.

specific reference buffer.

Grade:

Crystallography grade

#### Target Details

Target:	SLUG (SNAI2)
Alternative Name:	Snai2 (SNAI2 Products)
Background:	Transcriptional repressor that modulates both activator-dependent and basal transcription.
	Involved in the generation and migration of neural crest cells. Plays a role in mediating RAF1-

induced transcriptional repression of the TJ protein, occludin (OCLN) and subsequent oncogenic transformation of epithelial cells. Represses BRCA2 expression by binding to its E2-box-containing silencer and recruiting CTBP1 and HDAC1 in breast cells. In epidermal keratinocytes, binds to the E-box in ITGA3 promoter and represses its transcription. Involved in the regulation of ITGB1 and ITGB4 expression and cell adhesion and proliferation in epidermal keratinocytes. Binds to E-box2 domain of BSG and activates its expression during TGFB1-induced epithelial-mesenchymal transition (EMT) in hepatocytes. Represses E-Cadherin/CDH1 transcription via E-box elements. Involved in osteoblast maturation. Binds to RUNX2 and SOC9 promoters and may act as a positive and negative transcription regulator, respectively, in osteoblasts. Binds to CXCL12 promoter via E-box regions in mesenchymal stem cells and osteoblasts. Plays an essential role in TWIST1-induced EMT and its ability to promote invasion and metastasis (By similarity). {ECO:0000250}.

Molecular Weight:

31.0 kDa Including tag.

UniProt:

P97469

## **Application Details**

**Application Notes:** 

In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.

Comment:

Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.

Restrictions:

For Research Use only

### Handling

Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)



**Image 1.** "Crystallography Grade" protein due to multi-step, protein-specific purification process