



[Go to Product page](#)

Datasheet for ABIN3134745

ATP8A2 Protein (AA 346-837) (His tag)

1 Image

Overview

Quantity:	1 mg
Target:	ATP8A2
Protein Characteristics:	AA 346-837
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This ATP8A2 protein is labelled with His tag.
Application:	Crystallization (Crys), ELISA, SDS-PAGE (SDS), Western Blotting (WB)

Product Details

Sequence: KYTQALFINW DMDMYIEND TPAMARTSNL NEELGQVKYL FSDKTGT LTC NIMNFKKCSI
AGVTYGHFPE LAREQSSDDF CRMTSCTNDS CDFNDPRLK NIEDQHPTAP CIQEFLTLA
VCHTVVPEKD GDEIIYQASS PDEAALVKGA KKLGFVFTGR TPYSVIIAM GQEQTFGILN
VLEFSSDRKR MSVIVRLPSG QLRLYCKGAD NVIFERLSKD SKYMEETLCH LEYFATEGLR
TLCVAYADLS ENEYEEWLKV YQEASIILKD RAQRLEECYE IIEKNLLLLG ATAIEDRLQA
GVPETIATLL KAEIKIWVLT GDKQETAINI GYSCRLVSQN MALILLKEDS LDATRAAITQ
HCTDLGNLLG KENDVALIID GHTLKYALSF EVRRSFLDLA LSCKAVICCR VSPLQKSEIV
DVVKRVRKAI TLAIGDGAND VGMIQTAHVG VGISGNEGMQ ATNNSDYAIA QFSYLEKLLL
VHGAWSYNRV TK

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Product Details

Characteristics:	<ul style="list-style-type: none">• Made in Germany - from design to production - by highly experienced protein experts.• Mouse Atp8a2 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.• State-of-the-art algorithm used for plasmid design (Gene synthesis). <p>This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.</p> <p>The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.</p> <p>In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).</p> <p>When you order this made-to-order protein you will only pay upon receipt of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.</p> <p>The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.</p> <p>The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.</p>
Purification:	<p>Two step purification of proteins expressed in baculovirus infected SF9 insect cells:</p> <ol style="list-style-type: none">1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Sterility:	0.22 µm filtered
Endotoxin Level:	Protein is endotoxin free.
Grade:	Crystallography grade

Target Details

Target: ATP8A2

Alternative Name: Atp8a2 ([ATP8A2 Products](#))

Background: Catalytic component of a P4-ATPase flippase complex which catalyzes the hydrolysis of ATP coupled to the transport of aminophospholipids from the outer to the inner leaflet of various membranes and ensures the maintenance of asymmetric distribution of phospholipids. Phospholipid translocation seems also to be implicated in vesicle formation and in uptake of lipid signaling molecules. Reconstituted to liposomes, the ATP8A2:TMEM30A flippase complex predominantly transports phosphatidylserine (PS) and to a lesser extent phosphatidylethanolamine (PE). ATP8A2:TMEM30A may be involved in regulation of neurite outgrowth. Proposed to function in the generation and maintenance of phospholipid asymmetry in photoreceptor disk membranes and neuronal axon membranes. May be involved in vesicle trafficking in neuronal cells. Required for normal visual and auditory function, involved in photoreceptor and inner ear spiral ganglion cell survival. {ECO:0000269|PubMed:22641037, ECO:0000269|PubMed:22912588, ECO:0000269|PubMed:24413176}.

Molecular Weight: 56.0 kDa Including tag.

UniProt: [P98200](#)

Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: 100 mM NaCl, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Handling

Storage Comment: Store at -80°C.

Expiry Date: Unlimited (if stored properly)

Images



Image 1. „Crystallography Grade“ protein due to multi-step, protein-specific purification process