

Datasheet for ABIN3134749

FLT3 Protein (AA 28-1000) (rho-1D4 tag)



()	ve	r\/i	۱۸/
\cup	V C	1 / 1	 v v

Quantity:	1 mg
Target:	FLT3
Protein Characteristics:	AA 28-1000
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This FLT3 protein is labelled with rho-1D4 tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys)

Product Details

Sequence:

NQDLPVIKCV LISHENNGSS AGKPSSYRMV RGSPEDLQCT PRRQSEGTVY EAATVEVAES GSITLQVQLA TPGDLSCLWV FKHSSLGCQP HFDLQNRGIV SMAILNVTET QAGEYLLHIQ SEAANYTVLF TVNVRDTQLY VLRRPYFRKM ENQDALLCIS EGVPEPTVEW VLCSSHRESC KEEGPAVVRK EEKVLHELFG TDIRCCARNA LGRESTKLFT IDLNQAPQST LPQLFLKVGE PLWIRCKAIH VNHGFGLTWE LEDKALEEGS YFEMSTYSTN RTMIRILLAF VSSVGRNDTG YYTCSSSKHP SQSALVTILE KGFINATSSQ EEYEIDPYEK FCFSVRFKAY PRIRCTWIFS QASFPCEQRG LEDGYSISKF CDHKNKPGEY IFYAENDDAQ FTKMFTLNIR KKPQVLANAS ASQASCSSDG YPLPSWTWKK CSDKSPNCTE EIPEGVWNKK ANRKVFGQWV SSSTLNMSEA GKGLLVKCCA YNSMGTSCET IFLNSPGPFP FIQDNISFYA TIGLCLPFIV VLIVLICHKY KKQFRYESQL QMIQVTGPLD NEYFYVDFRD YEYDLKWEFP RENLEFGKVL GSGAFGRVMN ATAYGISKTG VSIOVAVKML KEKADSCEKE ALMSELKMMT HLGHHDNIVN LLGACTLSGP VYLIFEYCCY GDLLNYLRSK REKFHRTWTE IFKEHNFSFY PTFQAHSNSS MPGSREVQLH

PPLDQLSGFN GNSIHSEDEI EYENQKRLAE EEEEDLNVLT FEDLLCFAYQ VAKGMEFLEF
KSCVHRDLAA RNVLVTHGKV VKICDFGLAR DILSDSSYVV RGNARLPVKW MAPESLFEGI
YTIKSDVWSY GILLWEIFSL GVNPYPGIPV DANFYKLIQS GFKMEQPFYA TEGIYFVMQS
CWAFDSRKRP SFPNLTSFLG CQLAEAEEAM YQNMGGNVPE HPSIYQNRRP LSREAGSEPP
SPQAQVKIHR ERS

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Mouse Flt3 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Three step purification of membrane proteins expressed in baculovirus infected SF9 insect cells:

- 1. Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot.
- 2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.
- 3. Protein containing fractions of the best purification are subjected to second purification step

Product Details

through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot. >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot. 0.22 µm filtered Protein is endotoxin-free. Crystallography grade	
0.22 µm filtered Protein is endotoxin-free.	
Protein is endotoxin-free.	
Crystallography grade	
FLT3	
Flt3 (FLT3 Products)	
Tyrosine-protein kinase that acts as cell-surface receptor for the cytokine FLT3LG and regulates differentiation, proliferation and survival of hematopoietic progenitor cells and of dendritic cells. Promotes phosphorylation of SHC1 and AKT1, and activation of the downstream effector MTOR. Promotes activation of RAS signaling and phosphorylation of downstream kinases, including MAPK1/ERK2 and/or MAPK3/ERK1. Promotes phosphorylation of FES, FER,	
PTPN6/SHP, PTPN11/SHP-2, PLCG1, and STAT5A and/or STAT5B. Activation of wild-type FLT3 causes only marginal activation of STAT5A or STAT5B. Mutations that cause constitutive kinase activity promote cell proliferation and resistance to apoptosis via the activation of multiple signaling pathways. {ECO:0000269 PubMed:18469816, ECO:0000269 PubMed:19286519, ECO:0000269 PubMed:20457904, ECO:0000269 PubMed:21516120, ECO:0000269 PubMed:8920882}.	
111.6 kDa Including tag.	
Q00342	
RTK Signaling	
In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.	
Protein has not been tested for activity yet. In cases in which it is highly likely that the	

Application Details

	molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible
	options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)