

Datasheet for ABIN3134830

MARK2 Protein (AA 1-776) (Strep Tag)



[Go to Product page](#)

Overview

Quantity:	250 µg
Target:	MARK2
Protein Characteristics:	AA 1-776
Origin:	Mouse
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This MARK2 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Brand:	AliCE®
Sequence:	<p>MSSARTPLPT LNERDTEQPT LGHLDSKPSS KSNMLRGRNS ATSADEQPHI GNYRLLKTIG</p> <p>KGNFAKVKLA RHILTGKEVA VKIIDKTQLN SSSLQKLFRE VRIMKVLNHP NIVKLFEVIE</p> <p>TEKTLYLVE YASGGEVFDY LVAHGRMKEK EARAKFRQIV SAVQYCHQKF IVHRDLKAEN</p> <p>LLLDADMNIK IADFGFSNEF TFGNKLDTCF GSPPYAAPEL FQGKKIDGPE VDVWSLGVIL</p> <p>YTLVSGSLPF DGQNLKELRE RVLRGKYRIP FYMSTDCENL LKKFLILNPS KRGTLQIMK</p> <p>DRWMNVGHED DELKPYVEPL PDYKDP RTE LMVSMGYTRE EIQDSL VGQR YNEVMATYLL</p> <p>LGYKSSELEG DTITLKPRPS ADLTNSSAPS PSHKVQRSVS ANPKQRRSSD QAVPAIPTSN</p> <p>SYSKKTQSNN AENKRPEEET GRKASSTAKV PASPLPGLDR KKTTPAPSTN SVLSTSTNRS</p> <p>RNSPLLDRA S LGQASIQNGK DSLTMPGSRA STASASAAVS AARPRQHQS MSASVHPNKA</p> <p>SGLPPTESNC EVPRPSTAPQ RVPVASPSAH NISSSSGAPD RTNFPRGVSS RSTFHAGQLR</p> <p>QVRDQQNLPY GVTPASPSGH SQGRRGASGS IFSKFTSKFV RRNLNEPESK DRVETLRPHV</p>

VGSGGTDKDK EEFREAKPRS LRFTWSMKTT SSMEPNEMMR EIRKVLANS CQSELHERYM
LLCVHGTGPGH ENFVQWEMEV CKLPRLSLNG VRFKRISGTS MAFKNIASKI ANELKL

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the ExPASy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®).

Product Details

Purity: > 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).

Grade: custom-made

Target Details

Target: MARK2

Alternative Name: Mark2 ([MARK2 Products](#))

Background: Serine/threonine-protein kinase MARK2 (EC 2.7.11.1) (EC 2.7.11.26) (ELKL motif kinase 1) (EMK-1) (MAP/microtubule affinity-regulating kinase 2) (PAR1 homolog) (PAR1 homolog b) (Par-1b) (mPar-1b),FUNCTION: Serine/threonine-protein kinase. Involved in cell polarity and microtubule dynamics regulation. Phosphorylates CRTC2/TORC2, DCX, HDAC7, KIF13B, MAP2, MAP4 and RAB11FIP2. Phosphorylates the microtubule-associated protein MAPT/TAU. Plays a key role in cell polarity by phosphorylating the microtubule-associated proteins MAP2, MAP4 and MAPT/TAU at KXGS motifs, causing detachment from microtubules, and their disassembly. Regulates epithelial cell polarity by phosphorylating RAB11FIP2. Involved in the regulation of neuronal migration through its dual activities in regulating cellular polarity and microtubule dynamics, possibly by phosphorylating and regulating DCX. Regulates axogenesis by phosphorylating KIF13B, promoting interaction between KIF13B and 14-3-3 and inhibiting microtubule-dependent accumulation of KIF13B. Also required for neurite outgrowth and establishment of neuronal polarity. Regulates localization and activity of some histone deacetylases by mediating phosphorylation of HDAC7, promoting subsequent interaction between HDAC7 and 14-3-3 and export from the nucleus. Also acts as a positive regulator of the Wnt signaling pathway, probably by mediating phosphorylation of dishevelled proteins (DVL1, DVL2 and/or DVL3). Modulates the developmental decision to build a columnar versus a hepatic epithelial cell apparently by promoting a switch from a direct to a transcytotic mode of apical protein delivery. Essential for the asymmetric development of membrane domains of polarized epithelial cells. {ECO:0000250|UniProtKB:Q7KZI7}.

Molecular Weight: 86.3 kDa

UniProt: [Q05512](#)

Pathways: [SARS-CoV-2 Protein Interactome](#), [The Global Phosphorylation Landscape of SARS-CoV-2 Infection](#)

Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies

Application Details

as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment:

ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions:

For Research Use only

Handling

Format:

Liquid

Buffer:

The buffer composition is at the discretion of the manufacturer.

Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol **Might differ depending on protein.**

Handling Advice:

Avoid repeated freeze-thaw cycles.

Storage:

-80 °C

Storage Comment:

Store at -80°C.

Expiry Date:

12 months