# antibodies .- online.com





# ATP8B1 Protein (AA 1-1251) (Strep Tag)



#### Overview

Quantity:	1 mg
Target:	ATP8B1
Protein Characteristics:	AA 1-1251
Origin:	Mouse
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This ATP8B1 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

## **Product Details**

Sequence:

MSTERDSETT FDEESQPNDE VVPYSDDETE DELEDQGSTV EPEQNRVNRE AEKKRETFRK

DCTWQVKAND RKFHEQPHFM NTKFFCIKES KYASNAIKTY KYNGFTFLPM NLFEQFKRAA

NFYFLILLIL QAIPQISTLA WYTTLVPLLL VLGITAIKDL VDDVARHKMD KEINNRTCEV IKDGRFKIIK

WKDIQVGDVI RLKKNDFIPA DILLLSSSEP NSLCYVETAE LDGETNLKFK MALEITDQYL

QIEDNLATFD GFIECEEPNN RLDKFTGTLF WKNQSFPLDA DKILLRGCVI RNTDVCHGLV

IFAGADTKIM KNSGKTRFKR TKIDYLMNYM VYTIFIVLIL VSAGLAIGHA YWEAQVGNYS

WYLYDGENAT PSYRGFLNFW GYIIVLNTMV PISLYVSVEV IRLGQSHFIN WDLQMYYAEK

DTPAKARTTT LNEQLGQIHY IFSDKTGTLT QNIMTFKKCC INGTIYGDHR DASQHSHSKI

ELVDFSWNTF ADGKLAFYDH YLIEQIQSGK EPEVRQFFFL LSICHTVMVD RIDGQINYQA

ASPDEGALVN AARNFGFAFL ARTQNTITVS ELGSERTYNV LAILDFNSDR KRMSIIVRTP

EGSIRLYCKG ADTVIYERLH RMNPTKQETQ DALDIFASET LRTLCLCYKE IEEKEFTEWN

NKFMAASVAS SNRDEALDKV YEEIEKDLIL LGATAIEDKL QDGVPETISK LAKADIKIWV

LTGDKKETAE NIGFACELLT EDTTICYGED INSLLHTRME NQRNRGGVSA KFAPPVYEPF
FPPGENRALI ITGSWLNEIL LEKKTKRSKI LKLKFPRTEE ERRMRSQSRR RLEEKKEQRQ
KNFVDLACEC SAVICCRVTP KQKAMVVDLV KRYKKAITLA IGDGANDVNM IKTAHIGVGI
SGQEGMQAVM SSDYSFAQFR YLQRLLLVHG RWSYIRMCKF LRYFFYKNFA FTLVHFWYSF
FNGYSAQTAY EDWFITLYNV LYSSLPVLLM GLLDQDVSDK LSLRFPGLYV VGQRDLLFNY
KRFFVSLLHG VLTSMVLFFI PLGAYLQTVG QDGEAPSDYQ SFAVTVASAL VITVNFQIGL
DTSYWTFVNA FSIFGSIALY FGIMFDFHSA GIHVLFPSAF QFTGTASNAL RQPYIWLTII
LTVAVCLLPV VAIRFLSMTI WPSESDKIQK HRKRLKAEEQ WKRRQSVFRR GVSSRRSAYA
FSHQRGYADL ISSGRSIRKK RSPLDAIIAD GTAEYRRTVE S

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

#### Characteristics:

# Key Benefits:

- · Made in Germany from design to production by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

#### Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
  protein production are removed, leaving only the protein production machinery and the
  mitochondria to drive the reaction. During our lysate completion steps, the additional
  components needed for protein production (amino acids, cofactors, etc.) are added to
  produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

# Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

#### Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

- 1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

≥ 80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Endotoxin Level:

Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)

# **Target Details**

#### Alternative Name:

### Atp8b1 (ATP8B1 Products)

ATP8B1

## Background:

Phospholipid-transporting ATPase IC (EC 7.6.2.1) (ATPase class I type 8B member 1) (P4-ATPase flippase complex alpha subunit ATP8B1),FUNCTION: Catalytic component of a P4-ATPase flippase complex which catalyzes the hydrolysis of ATP coupled to the transport of phospholipids, in particular phosphatidylcholines (PC), from the outer to the inner leaflet of the plasma membrane (By similarity). May participate in the establishment of the canalicular membrane integrity by ensuring asymmetric distribution of phospholipids in the canicular membrane (PubMed:21820390). Thus may have a role in the regulation of bile acids transport into the canaliculus, uptake of bile acids from intestinal contents into intestinal mucosa or both and protect hepatocytes from bile salts (PubMed:14976163, PubMed:21820390, PubMed:20126555). Involved in the microvillus formation in polarized epithelial cells, the function seems to be independent from its flippase activity (By similarity). Participates in correct apical membrane localization of CDC42, CFTR and SLC10A2 (PubMed:26416959). Enables CDC42 clustering at the apical membrane during enterocyte polarization through the interaction between CDC42 polybasic region and negatively charged membrane lipids provided

by ATP8B1 (PubMed:26416959). Together with TMEM30A is involved in uptake of the synthetic drug alkylphospholipid perifosine (By similarity). Required for the preservation of cochlear hair cells in the inner ear (PubMed:19478059). According PubMed:20852622 is proposed to act as cardiolipin transporter during inflammatory injury, the function is questioned by PubMed:21475228 (PubMed:20852622, PubMed:21475228). {ECO:0000250|UniProtKB:043520, ECO:0000269|PubMed:14976163, ECO:0000269|PubMed:19478059, ECO:0000269|PubMed:20126555, ECO:0000269|PubMed:20852622, ECO:0000269|PubMed:21475228, ECO:0000269|PubMed:21820390, ECO:0000269|PubMed:26416959}.

Molecular Weight:

143.8 kDa

UniProt:

Q148W0

# **Application Details**

**Application Notes:** 

In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment:

ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions:

For Research Use only

## Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.

# Handling

Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)