antibodies

## Datasheet for ABIN3134921 GRM2 Protein (AA 19-872) (rho-1D4 tag)



## Overview

Image

Quantity:	1 mg
Target:	GRM2
Protein Characteristics:	AA 19-872
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This GRM2 protein is labelled with rho-1D4 tag.
Application:	ELISA, Western Blotting (WB), Crystallization (Crys), SDS-PAGE (SDS)

## Product Details

Sequence:	EGPAKKVLTL EGDLVLGGLF PVHQKGGPAE ECGPVNEHRG IQRLEAMLFA LDRINRDPHL
	LPGVRLGAHI LDSCSKDTHA LEQALDFVRA SLSRGADGSR HICPDGSYAT LSDAPTAITG
	VIGGSYSDVS IQVANLLRLF QIPQISYAST SAKLSDKSRY DYFARTVPPD FFQAKAMAEI
	LRFFNWTYVS TVASEGDYGE TGIEAFELEA RARNICVATS EKVGRAMSRA AFEGVVRALL
	QKPSARVAVL FTRSEDAREL LAATQRLNAS FTWVASDGWG ALESVVAGSE RAAEGAITIE
	LASYPISDFA SYFQNLDPWN NSRNPWFREF WEERFRCSFR QRDCAAHSLR AVPFEQESKI
	MFVVNAVYAM AHALHNMHRA LCPNTTRLCD AMRPVNGRRL YKDFVLNVKF DAPFRPADTD
	DEVRFDRFGD GIGRYNIFTY LRAGNGRYRY QKVGYWAEGL TLDTSIIPWA SPSAGTLPAS
	RCSEPCLQNE VKSVQPGEVC CWLCIPCQPY EYRLDEFTCA DCGLGYWPNA SLTGCFELPQ
	EYIRWGDAWA VGPVTIACLG ALATLFVLGV FVRHNATPVV KASGRELCYI LLGGVFLCYC
	MTFIFIAKPS TAVCTLRRLG LGTAFSVCYS ALLTKTNRIA RIFGGAREGA QRPRFISPAS
	QVAICLALIS GQLLIVAAWL VVEAPGIGKE TAPERREVVT LRCNHRDASM LGSLAYNVLL

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/4 | Product datasheet for ABIN3134921 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

	IALCTLYAFK TRKCPENFNE AKFIGFTMYT TCIIWLAFLP IFYVTSSDYR VQTTTMCVSV
	SLSGSVVLGC LFAPKLHIIL FQPQKNVVSH RAPTSRFGSA APRASANLGQ GSGSQLVPTV
	CNGREVVDST TSSL
	Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a
	special request, please contact us.
Characteristics:	<ul> <li>Made in Germany - from design to production - by highly experienced protein experts.</li> <li>Mouse Grm2 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.</li> <li>State-of-the-art algorithm used for plasmid design (Gene synthesis).</li> </ul>
	This protein is a made to order protein and will be made for the first time for your order. Our
	experts in the lab will ensure that you receive a correctly folded protein.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom
	made proteins from other companies is that there is no financial obligation in case the protein
	cannot be expressed or purified.
	In the unlikely event that the protein cannot be expressed or purified we do not charge anything
	(other companies might charge you for any performed steps in the expression process for
	custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression
	experiments or purification optimization).
	When you order this made-to-order protein you will only pay upon receival of the correctly
	folded protein. With no financial risk on your end you can rest assured that our experienced
	protein experts will do everything to make sure that you receive the protein you ordered.
	The concentration of our recombinant proteins is measured using the absorbance at 280nm.
	The protein's absorbance will be measured in several dilutions and is measured against its
	specific reference buffer.
	The concentration of the protein is calculated using its specific absorption coefficient. We use
	the Expasy's protparam tool to determine the absorption coefficient of each protein.
Purification:	Three step purification of membrane proteins expressed in baculovirus infected SF9 insect cells:
	<ol> <li>Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot.</li> <li>The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.</li> <li>Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot.</li> </ol>

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/4 | Product datasheet for ABIN3134921 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

Printy:.495 %. as determined by SDS PAGF, Size Exclusion Chromatography and Western Blot.Sterlity:0.22 µm filteredEndotoxin Level:Protein is endotoxin-free.Grade:Crystallography gradeTarget DetailsCrystallography gradeTarget:ORM2Alternative Name:Gruf CRM2 Products)Background:Gprotein coupled receptor for glutamate. Ligand binding causes a conformation change that triggers signaling via guanine nucleotide-binding proteins (6 proteins) and modulates the activity of down-stream effectors. Signaling inhibits adenylate cyclase activity. May mediate subpression of neurotransmission or may be involved in synaptogenesis or synaptic trabilization. (ECO.0000269)PubMed:1B297054, ECO.0002690/PubMed:23129762).Molecular Weight:95.1 kDa including tag.Un Prot:Q14BPPathways:cAMP Metabolic Process, Dicarboxylin Acid TransportApplication DetailsIn addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.Comment:Protein has not been tested for functional studies yet we cannot offer a gurantee though.Comment:For Research Use onlyHandlingFor Research Use onlyFormat:LiquidEuffer:100 mm MaCL, 20 mM Hepes, 10% glycerol, PH value is at the discretion of the manufacturer	Product Details	
Endotoxin Level:       Protein is endotoxin-free.         Grade:       Crystallography grade         Target Details       Target:         Target:       GRM2         Atternative Name:       Grm2 (GRM2 Products)         Background:       G-protein coupled receptor for glutamate. Ligand binding causes a conformation change that triggers signaling via guanine nucleotide-binding proteins (G proteins) and modulates the activity of down-stream effectors. Signaling inhibits adenylate cyclase activity. May mediate suppression of neurotransmission or may be involved in synaptogenesis or synaptic stabilization. (ECO:0000269IPubMed:18297054, ECO:0000269IPubMed:23129762).         Molecular Weight:       95.1 kDa Including tag.         UniProt:       Q14BI2         Pathways:       cAMP Metabolic Process, Dicarboxylic Acid Transport.         Application Notes:       In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.         Comment:       Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.         Restrictions:       For Research Use only         Handling       Liquid	Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Grade:       Crystallography grade         Target Details       Target:         Target:       GRM2         Atternative Name:       Grm2 (GRM2 Products)         Background:       C-protein coupled receptor for glutamate. Ligand binding causes a conformation change that triggers signaling via guanine nucleotide-binding proteins (G proteins) and modulates the activity of down-stream effectors. Signaling inhibits adenylate cyclase activity. May mediate suppression of neurotransmission or may be involved in synaptogenesis or synaptic stabilization. (ECO.0000269IPubMed:1829/054, ECO.0000269IPubMed:28179/62).         Molecular Weight:       95.1 kDa Including tag.         UmiProt:       O14BI2         Pathways:       cAMP Metabolic Process, Dicarboxylic Acid Transport         Application Notes:       In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.         Comment:       Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.         Restrictions:       For Research Use only         Handling       Liquid	Sterility:	0.22 µm filtered
Target Details         Target:       GRM2         Alternative Name:       Grm2 (GRM2 Products)         Background:       C-protein coupled receptor for glutamate. Ligand binding causes a conformation change that triggers signaling via guanine nucleotide-binding proteins (G proteins) and modulates the activity of down-stream effectors. Signaling inhibits adenylate cyclase activity. May mediate suppression of neurotransmission or may be involved in synaptogenesis or synaptic stabilization. (ECO:0000269)PubMed:18297054, ECO:0000269)PubMed:23129762).         Molecular Weight:       95.1 kDa Including tag.         UniProt:       Q14BI2         Pathways:       cAMP Metabolic Process, Dicarboxylic Acid Transport         Application Details       In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.         Comment:       Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insolubile our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.         Restrictions:       For Research Use only         Handling       Liquid	Endotoxin Level:	Protein is endotoxin-free.
Target:       GRM2         Alternative Name:       Grm2 (GRM2 Products)         Background:       G-protein coupled receptor for glutamate. Ligand binding causes a conformation change that triggers signaling via guanine nucleotide-binding proteins (G proteins) and modulates the activity of down-stream effectors. Signaling inhibits adenylate cyclase activity. May mediate suppression of neurotransmission or may be involved in synaptogenesis or synaptic stabilization. (ECO:0000269]PubMed:18297054, ECO:0000269]PubMed:23129762).         Molecular Weight:       95.1 kDa Including tag.         UniProt:       Q148I2         Pathways:       cAMP Metabolic Process, Dicarboxylic Acid Transport         Application Details       In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.         Comment:       Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. CST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.         Restrictions:       For Research Use only         Handling       Liquid	Grade:	Crystallography grade
Alternative Name:       Grm2 (GRM2 Products)         Background:       G-protein coupled receptor for glutamate. Ligand binding causes a conformation change that triggers signaling via guanine nucleotide-binding proteins (G proteins) and modulates the activity of down-stream effectors. Signaling inhibits adenylate cyclase activity. May mediate suppression of neurotransmission or may be involved in synaptogenesis or synaptic stabilization. (EC0:0000269)PubMed:18297054, EC0:0000269(PubMed:23129762).         Molecular Weight:       95.1 kDa Including tag.         UniProt:       Q14BI2         Pathways:       cAMP Metabolic Process, Dicarboxylic Acid Transport.         Application DetailS       In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.         Comment:       Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.         Restrictions:       For Research Use only         Handling       Liquid	Target Details	
Background:G-protein coupled receptor for glutamate. Ligand binding causes a conformation change that triggers signaling via guanine nucleotide-binding proteins (G proteins) and modulates the activity of down-stream effectors. Signaling inhibits adenylate cyclase activity. May mediate suppression of neurotransmission or may be involved in synaptogenesis or synaptic stabilization. (ECO.0000269)PubMed:18297054, ECO:0000269)PubMed:23129762).Molecular Weight:95.1 kDa Including tag.UniProt:Q148!2Pathways:coAMP Metabolic Process, Dicarboxylic Acid TransportApplication DetailsIn addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.Comment:Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insolubile our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.Restrictions:For Research Use onlyHandlingLiquid	Target:	GRM2
In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.Restrictions:For Research Use onlyHandlingLiquid	Alternative Name:	Grm2 (GRM2 Products)
UniProt:Q14BI2Pathways:cAMP Metabolic Process, Dicarboxylic Acid TransportApplication DetailsApplication Notes:In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.Comment:Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.Restrictions:For Research Use onlyHandlingFormat:Liquid	Background:	triggers signaling via guanine nucleotide-binding proteins (G proteins) and modulates the activity of down-stream effectors. Signaling inhibits adenylate cyclase activity. May mediate suppression of neurotransmission or may be involved in synaptogenesis or synaptic
Pathways:       cAMP Metabolic Process, Dicarboxylic Acid Transport         Application Details       In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.         Comment:       Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.         Restrictions:       For Research Use only         Handling       Liquid	Molecular Weight:	95.1 kDa Including tag.
Application Details         Application Notes:       In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.         Comment:       Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.         Restrictions:       For Research Use only         Handling       Liquid	UniProt:	Q14BI2
Application Notes:       In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.         Comment:       Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.         Restrictions:       For Research Use only         Handling         Format:       Liquid	Pathways:	cAMP Metabolic Process, Dicarboxylic Acid Transport
as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.Comment:Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.Restrictions:For Research Use onlyHandlingFormat:Liquid	Application Details	
recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid	Application Notes:	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee
Handling Format: Liquid	Comment:	recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible
Format: Liquid	Restrictions:	For Research Use only
	Handling	
Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.	Format:	Liquid
	Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/4 | Product datasheet for ABIN3134921 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

Н	land	ling
		J

Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

## Images



**Image 1.** "Crystallography Grade" protein due to multi-step, protein-specific purification process