Datasheet for ABIN3134971

LPCAT1 Protein (AA 1-534) (Strep Tag)

Go to Product page

Overview

Quantity:	250 µg
Target:	LPCAT1
Protein Characteristics:	AA 1-534
Origin:	Mouse
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This LPCAT1 protein is labelled with Strep Tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB), ELISA

Product Details

Brand:	AliCE®
Sequence:	MRLRGRGPRA APSSSSGAGD ARRLAPPGRN PFVHELRLSA LQKAQVAFMT LTLFPIRLLF AAFMMLLAWP FALLASLGPP DKEPEQPLAL WRKVVDFLLK AIMRTMWFAG GFHRVAVKGR QALPTEAAIL TLAPHSSYFD AIPVTMTMSS IVMKAESRDI PIWGTLIRYI RPVFVSRSDQ DSRRKTVEEI KRRAQSNGKW PQIMIFPEGT CTNRTCLITF KPGAFIPGVP VQPVVLRYPN KLDTITWTWQ GPGALKILWL TLCQFQNQVE IEFLPVYCPS EEEKRNPALY ASNVRRVMAK ALGVSVTDYT FEDCQLALAE GQLRLPADTC LLEFARLVRG LGLKPENLEK DLDKYSESAR MKRGEKIRLP EFAAYLEVPV SDALEDMFSL FDESGGGEID LREYVVALSV VCRPSQTLAT IQLAFKMYGS PEDGSIDEAN LSCILKTALG VSELTVTDLF QAIDQEDKGR ITFDDFCGFA EMYPDYAEDY LYPDQTHFDS CAQTPPAPTP NGFCIDFSPE NSDFGRKNSC KKAD **Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you**

	have a special request, please contact us.
Characteristics:	Key Benefits: • Made in Germany - from design to production - by highly experienced protein experts. • Protein expressed with ALiCE® and purified in one-step affinity chromatography • These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed). • State-of-the-art algorithm used for plasmid design (Gene synthesis). This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein. The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified. Expression System: • ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications. • During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein! Concentration: • The concentration of our recombinant proteins is measured using the absorbance at 280nm. • The protein's absorbance will be measured against its specific reference buffer. • We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.
Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Grade:	custom-made

Target Details

Target:	LPCAT1
Alternative Name:	Lpcat1 (LPCAT1 Products)
Background:	Lysophosphatidylcholine acyltransferase 1 (LPC acyltransferase 1) (LPCAT-1) (LysoPC acyltransferase 1) (mLPCAT1) (EC 2.3.1.23) (1-acylglycerol-3-phosphate O-acyltransferase) (EC 2.3.1.51) (1-acylglycerophosphocholine O-acyltransferase) (1-alkenylglycerophosphocholine O-acyltransferase) (EC 2.3.1.25) (1-alkylglycerophosphocholine O-acetyltransferase) (EC 2.3.1.67) (Acetyl-CoA:lyso-platelet-activating factor acetyltransferase) (Acetyl-CoA:lyso-PAF acetyltransferase) (Lyso-PAF acetyltransferase) (LysoPAFAT) (Acyltransferase-like 2),FUNCTION: Exhibits both acyltransferase and acetyltransferase activities (PubMed:16704971, PubMed:18285344, PubMed:18156367). Activity is calcium-independent (PubMed:16704971, PubMed:18285344). Catalyzes the conversion of lysophosphatidylcholine (1-acyl-sn-glycero-3-phosphocholine or LPC) into phosphatidylcholine (1,2-diacyl-sn-glycero-3-phosphocholine or PC) (PubMed:16704971, PubMed:18285344, PubMed:18156367). Catalyzes the conversion 1-acyl-sn-glycerol-3-phosphate (lysophosphatidic acid or LPA) into 1,2-diacyl-sn-glycerol-3-phosphate (phosphatidic acid or PA) by incorporating an acyl moiety at the sn-2 position of the glycerol backbone (By similarity). Displays a clear preference for saturated fatty acyl-CoAs, and 1-myristoyl or 1-palmitoyl LPC as acyl donors and acceptors, respectively (PubMed:16704971, PubMed:18285344). Involved in platelet-activating factor (PAF) biosynthesis by catalyzing the conversion of the PAF precursor, 1-O-alkyl-sn-glycero-3-phosphocholine (lyso-PAF) into 1-O-alkyl-2-acetyl-sn-glycero-3-phosphocholine (PAF) (PubMed:18285344). May synthesize phosphatidylcholine in pulmonary surfactant, thereby playing a pivotal role in respiratory physiology (PubMed:16704971). Involved in the regulation of lipid droplet number and size (By similarity). {ECO:0000250|UniProtKB:Q1HAQ0, ECO:0000250|UniProtKB:Q8NF37, ECO:0000269|PubMed:16704971, ECO:0000269|PubMed:18156367, ECO:0000269|PubMed:18285344}.
Molecular Weight:	59.7 kDa
UniProt:	Q3TFD2

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from

Application Details

	Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol **Might differ depending on protein.**
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months