# antibodies .- online.com





# SMARCA4 Protein (AA 1-1613) (His tag)





Go to Product page

#### Overview

Quantity:	1 mg
Target:	SMARCA4
Protein Characteristics:	AA 1-1613
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This SMARCA4 protein is labelled with His tag.
Application:	SDS-PAGE (SDS), ELISA, Western Blotting (WB), Crystallization (Crys)

#### **Product Details**

Sequence:

MSTPDPPLGG TPRPGPSPGP GPSPGAMLGP SPGPSPGSAH SMMGPSPGPP SAGHPMPTQG
PGGYPQDNMH QMHKPMESMH EKGMPDDPRY NQMKGMGMRS GAHTGMAPPP
SPMDQHSQGY PSPLGGSEHA SSPVPASGPS SGPQMSSGPG GAPLDGSDPQ ALGQQNRGPT
PFNQNQLHQL RAQIMAYKML ARGQPLPDHL QMAVQGKRPM PGMQQQMPTL PPPSVSATGP
GPGPGPGPGP GPGPAPPNYS RPHGMGGPNM PPPGPSGVPP GMPGQPPGGP PKPWPEGPMA
NAAAPTSTPQ KLIPPQPTGR PSPAPPAVPP AASPVMPPQT QSPGQPAQPA PLVPLHQKQS
RITPIQKPRG LDPVEILQER EYRLQARIAH RIQELENLPG SLAGDLRTKA TIELKALRLL
NFQRQLRQEV VVCMRRDTAL ETALNAKAYK RSKRQSLREA RITEKLEKQQ KIEQERKRRQ
KHQEYLNSIL QHAKDFREYH RSVTGKLQKL TKAVATYHAN TEREQKKENE RIEKERMRRL
MAEDEEGYRK LIDQKKDKRL AYLLQQTDEY VANLTELVRQ HKAAQVAKEK KKKKKKKAE
NAEGQTPAIG PDGEPLDETS QMSDLPVKVI HVESGKILTG TDAPKAGQLE AWLEMNPGYE
VAPRSDSEES GSEEEEEEEE EEQPQPAQPP TLPVEEKKKI PDPDSDDVSE VDARHIIENA

KQDVDDEYGV SQALARGLQS YYAVAHAVTE RVDKQSALMV NGVLKQYQIK GLEWLVSLYN NNLNGILADE MGLGKTIQTI ALITYLMEHK RINGPFLIIV PLSTLSNWAY EFDKWAPSVV KVSYKGSPAA RRAFVPQLRS GKFNVLLTTY EYIIKDKHIL AKIRWKYMIV DEGHRMKNHH CKLTQVLNTH YVAPRRLLLT GTPLQNKLPE LWALLNFLLP TIFKSCSTFE QWFNAPFAMT GEKVDLNEEE TILIIRRLHK VLRPFLLRRL KKEVEAQLPE KVEYVIKCDM SALQRVLYRH MQAKGVLLTD GSEKDKKGKG GTKTLMNTIM QLRKICNHPY MFQHIEESFS EHLGFTGGIV QGLDLYRASG KFELLDRILP KLRATNHKVL LFCQMTSLMT IMEDYFAYRG FKYLRLDGTT KAEDRGMLLK TFNEPGSEYF IFLLSTRAGG LGLNLQSADT VIIFDSDWNP HQDLQAQDRA HRIGQQNEVR VLRLCTVNSV EEKILAAAKY KLNVDQKVIQ AGMFDQKSSS HERRAFLQAI LEHEEQDEEE DEVPDDETVN QMIARHEEEF DLFMRMDLDR RREEARNPKR KPRLMEEDEL PSWIIKDDAE VERLTCEEEE EKMFGRGSRH RKEVDYSDSL TEKQWLKAIE EGTLEEIEEE VRQKKSSRKR KRDSEAGSST PTTSTRSRDK DEESKKQKKR GRPPAEKLSP NPPNLTKKMK KIVDAVIKYK DSSGRQLSEV FIQLPSRKEL PEYYELIRKP VDFKKIKERI RNHKYRSLND LEKDVMLLCQ NAQTFNLEGS LIYEDSIVLQ SVFTSVRQKI EKEDDSEGEE SEEEEEGEEE

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

#### Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Mouse Smarca4 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its

#### **Product Details**

specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

the Expasy's protparam tool to determine the absorption coefficient of each protein.

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity: >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility: 0.22 µm filtered

Endotoxin Level: Protein is endotoxin free.

Grade: Crystallography grade

#### **Target Details**

Target: SMARCA4

Alternative Name: Smarca4 (SMARCA4 Products)

Background:

Transcriptional coactivator cooperating with nuclear hormone receptors to potentiate transcriptional activation. Component of the CREST-BRG1 complex, a multiprotein complex that regulates promoter activation by orchestrating a calcium-dependent release of a repressor complex and a recruitment of an activator complex. In resting neurons, transcription of the c-FOS promoter is inhibited by BRG1-dependent recruitment of a phospho-RB1-HDAC repressor complex. Upon calcium influx, RB1 is dephosphorylated by calcineurin, which leads to release of the repressor complex. At the same time, there is increased recruitment of CREBBP to the promoter by a CREST-dependent mechanism, which leads to transcriptional activation. The CREST-BRG1 complex also binds to the NR2B promoter, and activity-dependent induction of NR2B expression involves a release of HDAC1 and recruitment of CREBBP (By similarity). Belongs to the neural progenitors-specific chromatin remodeling complex (npBAF complex) and the neuron-specific chromatin remodeling complex (nBAF complex). During neural development a switch from a stem/progenitor to a post-mitotic chromatin remodeling mechanism occurs as neurons exit the cell cycle and become committed to their adult state. The transition from proliferating neural stem/progenitor cells to post-mitotic neurons requires a

switch in subunit composition of the npBAF and nBAF complexes. As neural progenitors exit mitosis and differentiate into neurons, npBAF complexes which contain ACTL6A/BAF53A and PHF10/BAF45A, are exchanged for homologous alternative ACTL6B/BAF53B and DPF1/BAF45B or DPF3/BAF45C subunits in neuron-specific complexes (nBAF). The npBAF complex is essential for the self-renewal/proliferative capacity of the multipotent neural stem cells. The nBAF complex along with CREST plays a role regulating the activity of genes essential for dendrite growth. SMARCA4/BAF190A may promote neural stem cell self-renewal/proliferation by enhancing Notch-dependent proliferative signals, while concurrently making the neural stem cell insensitive to SHH-dependent differentiating cues. Acts as a corepressor of ZEB1 to regulate E-cadherin transcription and is required for induction of epithelial-mesenchymal transition (EMT) by ZEB1 (By similarity). {ECO:0000250, ECO:0000269|PubMed:17640523}.

Molecular Weight:	182.4 kDa Including tag.
UniProt:	Q3TKT4
Pathways:	Intracellular Steroid Hormone Receptor Signaling Pathway, Regulation of Intracellular Steroid
	Hormone Receptor Signaling, Stem Cell Maintenance

### **Application Details**

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only


#### Handling

Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C

# Handling

Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

## **Images**



**Image 1.** "Crystallography Grade" protein due to multi-step, protein-specific purification process