

Datasheet for ABIN3135031

TNKS2 Protein (AA 1-1166) (Strep Tag)



Go to Product page

Overview

Quantity:	250 μg		
Target:	TNKS2		
Protein Characteristics:	AA 1-1166		
Origin:	Mouse		
Source:	Cell-free protein synthesis (CFPS)		
Protein Type:	Recombinant		
Purification tag / Conjugate:	This TNKS2 protein is labelled with Strep Tag.		
Application:	SDS-PAGE (SDS), Western Blotting (WB), ELISA		

Brand:	AliCE®
Sequence:	MSGRRCAGGG AACASAGAEA VEPSARELFE ACRNGDVERV KRLVTPEKVN SRDTAGRKST
	PLHFAAGFGR KDVVEYLLQN GANVQARDDG GLIPLHNACS FGHAEVVNLL LQHGADPNAR
	DNWNYTPLHE AAIKGKIDVC IVLLQHGAEP TIRNTDGRTA LDLADPSAKA VLTGDYKKDE
	LLESARSGNE EKMMALLTPL NVNCHASDGR KSTPLHLAAG YNRVKIVQLL LHHGADVHAK
	DKGDLVPLHN ACSYGHYEVT ELLVKHGACV NAMDLWQFTP LHEAASKNRI EVCSLLLSYG
	ADPTLLNCHN KSAIDLAPTA QLKERLSYEF KGHSLLQAAR EADVTRIKKH LSLEMVNFKH
	PQTHETALHC AAASPYPKRK QICELLLRKG ANTNEKTKEF LTPLHVASEN AHNDVVEVVV
	KHEAKVNALD SLGQTSLHRA AHCGHLQTCR LLLSYGCDPN IISLQGFTAL QMGNENVQQL
	LQEGASLGHS EADRQLLEAA KAGDVETVKK LCTVQSVNCR DIEGRQSTPL HFAAGYNRVS
	VVEYLLQHGA DVHAKDKGGL VPLHNACSYG HYEVAELLVK HGAVVNVADL WKFTPLHEAA
	AKGKYEICKL LLQHGADPTK KNRDGNTPLD LVKDGDTDIQ DLLRGDAALL DAAKKGCLAR

VKKLSSPDNV NCRDTQGRHS TPLHLAAGYN NLEVAEYLLQ HGADVNAQDK GGLIPLHNAA SYGHVDVAAL LIKYNACVNA TDKWAFTPLH EAAQKGRTQL CALLLAHGAD PTLKNQEGQT PLDLVSADDV SALLTAAMPP SALPTCYKPQ VLSGVRGPGA TADALSSGPS SPSSLSAASS LDNLSGSFSE LSAVVSSSAA EGATGLQRKE DSGIDFSITQ FIRNLGLEHL MDIFEREQIT LDVLVEMGHK ELKEIGINAY GHRHKLIKGV ERLISGQQGL NPYLTLNNSG SGTILIDLSP DDKEFQSVEE EMQSTVREHR DGGHAGGVFN RYNILKIQKV CNKKLWERYT HRRKEVSEEN HNHANERMLF HGSPFVNAII HKGFDERHAY IGGMFGAGIY FAENSSKSNQ YVYGIGGGTG CPIHKDRSCY ICHRQLLFCR VTLGKSFLQF SAMKMAHSPP GHHSVTGRPS VNGLALAEYV IYRGEQAYPE YLITYQIVRP EGMVDG

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- · Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- · The protein's absorbance will be measured against its specific reference buffer.
- · We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).

Purity:

> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).

Grade:

custom-made

Target Details

т	٠		_ 4		
- 1	a	1	ω		

TNKS2

Alternative Name:

Tnks2 (TNKS2 Products)

Background:

Poly [ADP-ribose] polymerase tankyrase-2 (EC 2.4.2.30) (ADP-ribosyltransferase diphtheria toxin-like 6) (ARTD6) (Protein poly-ADP-ribosyltransferase tankyrase-2) (EC 2.4.2.-) (TNKS-2) (TRF1-interacting ankyrin-related ADP-ribose polymerase 2) (Tankyrase II) (Tankyrase-2) (TANK2),FUNCTION: Poly-ADP-ribosyltransferase involved in various processes such as Wnt signaling pathway, telomere length and vesicle trafficking. Acts as an activator of the Wnt signaling pathway by mediating poly-ADP-ribosylation of AXIN1 and AXIN2, 2 key components of the beta-catenin destruction complex: poly-ADP-ribosylated target proteins are recognized by RNF146, which mediates their ubiquitination and subsequent degradation. Also mediates poly-ADP-ribosylation of BLZF1 and CASC3, followed by recruitment of RNF146 and subsequent ubiquitination. Mediates poly-ADP-ribosylation of TERF1, thereby contributing to the regulation of telomere length. Stimulates 26S proteasome activity. {ECO:0000250|UniProtKB:Q9H2K2}.

Molecular Weight:

126.7 kDa

UniProt:

03UES3

Application Details

Application Notes:

In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment:

ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from

Application Details

Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions:

For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months