

Datasheet for ABIN3135277
SIK1 Protein (AA 1-779) (Strep Tag)



[Go to Product page](#)

Overview

Quantity:	1 mg
Target:	SIK1
Protein Characteristics:	AA 1-779
Origin:	Mouse
Source:	Tobacco (<i>Nicotiana tabacum</i>)
Protein Type:	Recombinant
Purification tag / Conjugate:	This SIK1 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Sequence:	<p>MVIMSEFSAV PSGTGQGQK PLRVGFYDVE RTLKGKNFAV VKLARHRVTK TQVAIKIIDK TRLDSSNLEK IYREVQLMKL LNHPNIIKLY QVMETKDMLY IVTEFAKNGE MFDYLTSNGH LSENEARQKF WQILSAVEYC HNHIVHRDL KTENLLLDN MDIKLADFGF GNFKPGEPL STWCGSPPYA APEVFEGKEY EGPQLDVWSL GVVLYVLVCG SLPFDGPNLP TLRQRVLEGR FRIPFFMSQD CETLIRRMLV VDKAKRITIA QIRQHRWMA DPTLLQDDP AFDMQGYTSN LGDYNEQVLG IMQALGIDRQ RTIESLQNSS YNHFAAIYYL LLERLKEHRS AQPSSRPTA PTRQPQLRSS DLSSLEVPQE ILPCDPFRPS LLCPPQALA QSVLQAEIDC DLHSSLQPLL FPLDNCSTGV FRHRSISPSS LLDTAISEEA RQGPSLEEEQ EVQEPLPGST GRRHTLAEVS THFSPLNPPC IIVSSSATAS PSEGTSSDSC LPFSASEGPA GLGSLATPG LLGTSSPVRL ASPFLGSQSA TPVLQTQAGL GTAVLPPVSF QEGRRASDTS LTQGLKAFRQ QLRKNARTKG FLGLNKIKGL ARVCQSSVR TPRGGMSTFH TPAPSSGLQG CTTSNREGRS LLEEVLHQQR LLQLQHHSST AAASSGCQQG PQLSPVPYVL APCDSLLVSG IPLLPTPLLQ AGMSPVASAA</p>
-----------	--

HLLDTHLHIS AGPVALPTGP LPQCLTRLSP GCDPAGLPQG DCEMEDLTSG QRGTFVLVQ

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®).

Purity:

> 80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).

Target Details

Target:	SIK1
Alternative Name:	Sik1 (SIK1 Products)
Background:	<p>Serine/threonine-protein kinase SIK1 (EC 2.7.11.1) (HRT-20) (Myocardial SNF1-like kinase) (Salt-inducible kinase 1) (SIK-1) (Serine/threonine-protein kinase SNF1-like kinase 1) (Serine/threonine-protein kinase SNF1LK),FUNCTION: Serine/threonine-protein kinase involved in various processes such as cell cycle regulation, gluconeogenesis and lipogenesis regulation, muscle growth and differentiation and tumor suppression. Phosphorylates HDAC4, HDAC5, PPME1, SREBF1, CRTC1/TORC1 and CRTC2/TORC2. Acts as a tumor suppressor and plays a key role in p53/TP53-dependent anoikis, a type of apoptosis triggered by cell detachment: required for phosphorylation of p53/TP53 in response to loss of adhesion and is able to suppress metastasis. Part of a sodium-sensing signaling network, probably by mediating phosphorylation of PPME1: following increases in intracellular sodium, SIK1 is activated by CaMK1 and phosphorylates PPME1 subunit of protein phosphatase 2A (PP2A), leading to dephosphorylation of sodium/potassium-transporting ATPase ATP1A1 and subsequent increase activity of ATP1A1. Acts as a regulator of muscle cells by phosphorylating and inhibiting class II histone deacetylases HDAC4 and HDAC5, leading to promote expression of MEF2 target genes in myocytes. Also required during cardiomyogenesis by regulating the exit of cardiomyoblasts from the cell cycle via down-regulation of CDKN1C/p57Kip2. Acts as a regulator of hepatic gluconeogenesis by phosphorylating and repressing the CREB-specific coactivators CRTC1/TORC1 and CRTC2/TORC2, leading to inhibit CREB activity. Also regulates hepatic lipogenesis by phosphorylating and inhibiting SREBF1. In concert with CRTC1/TORC1, regulates the light-induced entrainment of the circadian clock by attenuating PER1 induction, represses CREB-mediated transcription of PER1 by phosphorylating and deactivating CRTC1/TORC1. {ECO:0000269 PubMed:12200423, ECO:0000269 PubMed:15177563, ECO:0000269 PubMed:15511237, ECO:0000269 PubMed:16148943, ECO:0000269 PubMed:16817901, ECO:0000269 PubMed:17468767, ECO:0000269 PubMed:19244231, ECO:0000269 PubMed:19622832, ECO:0000269 PubMed:20140255, ECO:0000269 PubMed:23993098}.</p>
Molecular Weight:	85.1 kDa
UniProt:	Q60670
Pathways:	Regulation of Muscle Cell Differentiation , Skeletal Muscle Fiber Development , Regulation of Carbohydrate Metabolic Process

Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: The buffer composition is at the discretion of the manufacturer.
Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol **Might differ depending on protein.**

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: 12 months