antibodies .- online.com





IL12RB1 Protein (AA 20-738) (rho-1D4 tag)



Go to Product pag

Overview

Quantity:	1 mg
Target:	IL12RB1
Protein Characteristics:	AA 20-738
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This IL12RB1 protein is labelled with rho-1D4 tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB), ELISA, Crystallization (Crys)

Product Details

Sequence:

QLGASGPGDG CCVEKTSFPE GASGSPLGPR NLSCYRVSKT DYECSWQYDG PEDNVSHVLW CCFVPPNHTH TGQERCRYFS SGPDRTVQFW EQDGIPVLSK VNFWVESRLG NRTMKSQKIS QYLYNWTKTT PPLGHIKVSQ SHRQLRMDWN VSEEAGAEVQ FRRRMPTTNW TLGDCGPQVN SGSGVLGDIR GSMSESCLCP SENMAQEIQI RRRRRLSSGA PGGPWSDWSM PVCVPPEVLP QAKIKFLVEP LNQGGRRRLT MQGQSPQLAV PEGCRGRPGA QVKKHLVLVR MLSCRCQAQT SKTVPLGKKL NLSGATYDLN VLAKTRFGRS TIQKWHLPAQ ELTETRALNV SVGGNMTSMQ WAAQAPGTTY CLEWQPWFQH RNHTHCTLIV PEEEDPAKMV THSWSSKPTL EQEECYRITV FASKNPKNPM LWATVLSSYY FGGNASRAGT PRHVSVRNQT GDSVSVEWTA SQLSTCPGVL TQYVVRCEAE DGAWESEWLV PPTKTQVTLD GLRSRVMYKV QVRADTARLP GAWSHPQRFS FEVQISRLSI IFASLGSFAS VLLVGSLGYI GLNRAAWHLC PPLPTPCGST AVEFPGSQGK QAWQWCNPED FPEVLYPRDA LVVEMPGDRG DGTESPQAAP ECALDTRRPL ETQRQRQVQA LSEARRLGLA REDCPRGDLA HVTLPLLLGG VTQGASVLDD LWRTHKTAEP GPPTLGQEA

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- · Made in Germany from design to production by highly experienced protein experts.
- Mouse Il12rb1 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Three step purification of membrane proteins expressed in baculovirus infected SF9 insect cells:

- 1. Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot.
- 2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Product Details	
Endotoxin Level:	Protein is endotoxin-free.
Grade:	Crystallography grade
Target Details	
Target:	IL12RB1
Alternative Name:	II12rb1 (IL12RB1 Products)
Background:	Functions as an interleukin receptor which binds interleukin-12 with low affinity and is involved in IL12 transduction. Associated with IL12RB2 it forms a functional, high affinity receptor for IL12. Associates also with IL23R to form the interleukin-23 receptor which functions in IL23 signal transduction probably through activation of the Jak-Stat signaling cascade.
Molecular Weight:	80.9 kDa Including tag.
UniProt:	Q60837
Pathways:	JAK-STAT Signaling, Regulation of Leukocyte Mediated Immunity, Positive Regulation of Immune Effector Process, Activated T Cell Proliferation
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.

Storage:

-80 °C

Handling

Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)