

Datasheet for ABIN3135420

TRIM25 Protein (AA 1-634) (Strep Tag)



Go to Product page

Overview

Quantity:	250 μg
Target:	TRIM25
Protein Characteristics:	AA 1-634
Origin:	Mouse
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This TRIM25 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)		
Product Details			
Brand:	AliCE®		
Sequence:	MAELNPLAEE LSCSVCLELF KEPVTTPCGH NFCMSCLDET WVVQGPPYRC PQCRKVYQVR		
	PQLQKNTVMC AVVEQFLQAE QARTPVDDWT PPARFSASSA ATQVACDHCL TEIAVKTCLV		
	CMASFCQEHL RPHFDSPAFQ DHPLQSPIRD LLRRKCTQHN RLRELFCPEH GECICHICLV		
	EHKTCSPTTL SQASADLEYK LRNKLTIMHS HINGATKALE DVRSKQQCVQ DSMKRKMEQL		
	RQEYMEMKAV IDAAETSSLR KLKEEEKRVY GKFDTIYQVL VKKKSEMQKL KAEVELIMDK		
	GDEFEFLEKA AKLQGESTKP VYIPKIDLDH DLIMGIYQGA ADLKSELKHS IKKLQKKSEE		
	HNGSGNKGDQ TQSTFKPVQP SKKTIQEKKT KKTPVAPGPP SHFSPNKLPT FGAPGQSLDS		
	KATSPDAAPK ASAAQPDSVG VKAKVLENFL TKSRTELLEY FVKVIFDYNT AHNKVSLSNK		
	YTTASVSDGL QHYRSHPQRF TYCSQVLGLH CYKNGIHYWE VELQKNNFCG VGICYGSMER		
	QGPESRLGRN PNSWCVEWFN NKISAWHNNV EKTLPSTKAT RVGVLLNCDH GFVIFFAVTE		
	KVHLMYKFKV DFTEALYPAF WVFSAGTTLS ICSK		

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- · Made in Germany from design to production by highly experienced protein experts.
- · Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- · We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).

Grade:

custom-made

Target Details

Target:	TRIM25
Alternative Name:	Trim25 (TRIM25 Products)
Background:	E3 ubiquitin/ISG15 ligase TRIM25 (EC 6.3.2.n3) (Estrogen-responsive finger protein) (RING-typ
	E3 ubiquitin transferase) (EC 2.3.2.27) (RING-type E3 ubiquitin transferase TRIM25) (Tripartite
	motif-containing protein 25) (Ubiquitin/ISG15-conjugating enzyme TRIM25) (Zinc finger protein
	147),FUNCTION: Functions as a ubiquitin E3 ligase and as an ISG15 E3 ligase. Involved in
	innate immune defense against viruses by mediating ubiquitination of RIGI and IFIH1. Mediate
	'Lys-63'-linked polyubiquitination of the RIGI N-terminal CARD-like region and may play a role in
	signal transduction that leads to the production of interferons in response to viral infection.
	Mediates 'Lys-63'-linked polyubiquitination of IFIH1. Promotes ISGylation of 14-3-3 sigma (SFN
	an adapter protein implicated in the regulation of a large spectrum signaling pathway. Mediate
	estrogen action in various target organs. Mediates the ubiquitination and subsequent
	proteasomal degradation of ZFHX3 (By similarity). Plays a role in promoting the restart of
	stalled replication forks via interaction with the KHDC3L-OOEP scaffold and subsequent
	ubiquitination of BLM, resulting in the recruitment and retainment of BLM at DNA replication
	forks (PubMed:29125140). Plays an essential role in the antiviral activity of ZAP/ZC3HAV1, an
	antiviral protein which inhibits the replication of certain viruses. Mechanistically, mediates 'Lys-
	63'-linked polyubiquitination of ZAP/ZC3HAV1 that is required for its optimal binding to target
	mRNA. Mediates also the ubiquitination of various substrates implicated in stress granule
	formation, nonsense-mediated mRNA decay, nucleoside synthesis and mRNA translation and
	stability (By similarity). {ECO:0000250 UniProtKB:Q14258, ECO:0000269 PubMed:29125140}.
Molecular Weight:	71.7 kDa
UniProt:	Q61510
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a
	guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from

Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce

Application Details

even the most difficult-to-express proteins, including those that require post-translational modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions:

For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months