

Datasheet for ABIN3135468

**MAPK10 Protein (AA 1-464) (His tag)**[Go to Product page](#)**1** Image

## Overview

|                               |  |
|-------------------------------|--|
| Quantity:                     | 1 mg   |
| Target:                       | MAPK10   |
| Protein Characteristics:      | AA 1-464   |
| Origin:                       | Mouse  |
| Source:                       | Insect Cells   |
| Protein Type:                 | Recombinant  |
| Purification tag / Conjugate: | This MAPK10 protein is labelled with His tag.                        |
| Application:                  | Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys) |

## Product Details

|                  |  |
|------------------|--|
| Sequence:        | <p>MSLHFLYYCS EPTLDVKIAF CQGFDKHVDV SSIKHYNMS KSKVDNQFYS VEVGDSTFTV<br/>LKRYQNLKPI GSGAQGIVCA AYDAVLDRNV AIKKLSRPFQ NQTHAKRAYR ELVLMKCVNH<br/>KNIISLLNVF TPQKTLEEFQ DVYLVME LMD ANLCQVIQME LDHERMSYLL YQMLCGIKHL<br/>HSAGIIHRDL KPSNIVVKSD CTLKILDFGL ARTAGTSFMM TPYVVTRYR APEVILGMGY<br/>KENVDIWSVG CIMGEMVRHK ILFPGRSYID QWNKVIEQLG TPCPEFMKKL QPTVRNYVEN<br/>RPKYAGLTFP KLPDLSLFA DSEHNKLKAS QARDLLSKML VIDPVKRISV DDALQHPYIN<br/>VWYDPAEVEA PPPQIYDKQL DEREHTIEEW KELIYKEVMN SEEKTKNGVV KSQPSPSGAA<br/>VNSSESLPPS SAVNDISSMS TDQTLASDTD SSLEASAGPL GCCR</p> <p><b>Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.</b></p> |
| Characteristics: | <ul style="list-style-type: none"><li>• Made in Germany - from design to production - by highly experienced protein experts.</li><li>• Mouse Mapk10 Protein (raised in Insect Cells) purified by multi-step, protein-specific process</li></ul>  |

to ensure crystallization grade.

- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receipt of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the ExPASy's protparam tool to determine the absorption coefficient of each protein.

---

### Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

---

### Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

---

### Sterility:

0.22 µm filtered

---

### Endotoxin Level:

Protein is endotoxin free.

---

### Grade:

Crystallography grade

---

## Target Details

---

### Target:

MAPK10

---

### Alternative Name:

Mapk10 ([MAPK10 Products](#))

## Target Details

|                   |  |
|-------------------|--|
| Background:       | <p>Serine/threonine-protein kinase involved in various processes such as neuronal proliferation, differentiation, migration and programmed cell death. Extracellular stimuli such as proinflammatory cytokines or physical stress stimulate the stress-activated protein kinase/c-Jun N-terminal kinase (SAP/JNK) signaling pathway. In this cascade, two dual specificity kinases MAP2K4/MKK4 and MAP2K7/MKK7 phosphorylate and activate MAPK10/JNK3. In turn, MAPK10/JNK3 phosphorylates a number of transcription factors, primarily components of AP-1 such as JUN and ATF2 and thus regulates AP-1 transcriptional activity. Plays regulatory roles in the signaling pathways during neuronal apoptosis. Phosphorylates the neuronal microtubule regulator STMN2. Acts in the regulation of the beta-amyloid precursor protein/APP signaling during neuronal differentiation by phosphorylating APP. Participates also in neurite growth in spiral ganglion neurons. Phosphorylates the CLOCK-ARNTL/BMAL1 heterodimer and plays a role in the photic regulation of the circadian clock (PubMed:22441692).</p> <p>{ECO:0000269 PubMed:20418776, ECO:0000269 PubMed:21554942, ECO:0000269 PubMed:22441692, ECO:0000269 PubMed:9349820}.</p> |
| Molecular Weight: | 53.5 kDa Including tag.  |
| UniProt:          | <a href="#">Q61831</a>   |
| Pathways:         | <a href="#">MAPK Signaling</a> , <a href="#">WNT Signaling</a> , <a href="#">TLR Signaling</a> , <a href="#">Fc-epsilon Receptor Signaling Pathway</a> , <a href="#">Activation of Innate immune Response</a> , <a href="#">Hepatitis C</a> , <a href="#">Toll-Like Receptors Cascades</a>   |

## Application Details

|                    |   |
|--------------------|---|
| Application Notes: | In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.  |
| Comment:           | Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. |
| Restrictions:      | For Research Use only   |

## Handling

|         |  |
|---------|--|
| Format: | Liquid   |
| Buffer: | 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer. |

## Handling

|                  |                                    |
|------------------|------------------------------------|
| Handling Advice: | Avoid repeated freeze-thaw cycles. |
|------------------|------------------------------------|

|          |        |
|----------|--------|
| Storage: | -80 °C |
|----------|--------|

|                  |                 |
|------------------|-----------------|
| Storage Comment: | Store at -80°C. |
|------------------|-----------------|

|              |                                |
|--------------|--------------------------------|
| Expiry Date: | Unlimited (if stored properly) |
|--------------|--------------------------------|

## Images



**Image 1.** „Crystallography Grade“ protein due to multi-step, protein-specific purification process